


Wildland Fire Response Plan COVID-19 Pandemic

Alaska Geographic Area

Last Update: April 27, 2020



Alaska Geographic Area

1 PREFACE

This Wildland Fire Response Plan (WFRP) has been developed to provide guidance and considerations for maintaining continuity of wildland fire response in the presence of the COVID-19 pandemic for the 2020 fire year in the Alaska Geographic Area. The plan is intended to be a single point of reference and provide considerations for those tasked with management of wildland fires. The plan presents thoughts on planning needs and considerations, possible actions, and immediate needs to help wildland fire management agencies and organizations sustain, to the extent possible, the highest degree of resource availability while providing for the safety and protection of all wildland fire response personnel at all organizational levels in all areas across the country.

The WFRP is constructed for applicability at all levels. However, some of the information presented here may not have the same utility for all participating agencies and organizations. For example, many practices and protocols listed here for consideration may only be acceptable for use by federal agencies and not by state and local governments. In other cases, more specific practices and protocols may be developed and implemented at local levels.

NOTE: protocols, policies, direction, other guidance set forth by your agency or leadership, are your overarching standards and overshadow this WFRP, and should be strictly adhered to.


This WFRP is designed with two main sections:

“Strategic” and “Tactical”

Strategic information is intended for all levels of wildland fire response – from national level, regional level, local level, to module level – there is applicable information for everyone in the Strategy portion of the document. Strategic information is found throughout the document but occurs primarily in the main body of the document on pages 7-25.

Tactical information is intended for local area fire managers, Incident Management Organizations, and the “boots on the ground” in the format of Best Management Practices (BMPs). The BMPs are found in [Appendix B](#) of the Document. The BMPs have been designed to be concise, to the point, easily understandable, and printable as stand-alone documents for use by the respective resource; very similar to an Engine Captain focusing their attention to the pertinent ICS-204 Division Assignment from an Incident Action Plan (IAP). [Appendix A All Fire Personnel Best Practices](#) – is a companion to [Appendix B](#) and should be reviewed and referenced concurrently with [Appendix B](#).

Readers are encouraged to review the entire document and to use the [Contents](#) page to assist with identifying information most applicable to their needs.



Contents	
1	Preface2
2	Introduction7
2.1	Background/Situation7
2.2	Issue7
2.3	Scope8
3	Objectives9
4	Project Overview10
4.1	Purpose and Function10
4.2	Potential Effects on Wildfire Response10
5	COVID-19 Wildland Fire Strategic Scenarios12
6	Strategic Considerations15
6.1	MAC Strategic Considerations15
6.2	Public Information17
6.3	Transportation17
6.4	Cooperator Response18
7	Response Plan Distribution18
8	Glossary of Terms19
9	References, Resources, Websites24
10	Acknowledgements25

BMPs may not offer the detail that some personnel would like. This detail can be supplemented by locally prepared information (see NOTE at the end of this Preface). It must be remembered that the COVID-19 pandemic is an evolving situation that has never been encountered before in wildland fire management. All the answers are not known at the current time and new information and experience will continue to emerge throughout the fire season.

The WFRP was developed by Area Command Team 1 (Joe Stutler) in coordination with as many of the appropriate agencies, organizations, and individuals in the Alaska Geographic Area as possible. The team worked directly with the Geographic Area's Coordinating Group Chair, all participating agencies and organizations, dispatch/coordination centers, and various local units. This comprehensive coordination enabled clear communication with all involved participants and fostered improved awareness and understanding of the purpose and intent of the WFRP. It also reduced possible duplication of effort, ensured a coordinated effort and synchronization with other efforts in the Geographic Area (GA), and promoted support and endorsement at all levels.

NOTE: This plan is intended to provide a higher-level framework of considerations and not specific operational procedures. It is not written in terms of "how to" but instead provides considerations of "what," "why," and "where" with a focus on the "mob to demob" time period. As more information becomes known, the plan should be supplemented by development of more specific operational procedures by agencies and local level units. This continued addition of practical information is strongly encouraged. The Best Management Practices provided in the Appendices are intended to offer information to help reduce the likelihood of COVID-19 spread during wildland fire suppression operations. But for them to be effective, they will need to be strictly followed. Because of potential changes from past experiences and practices, local personnel are strongly encouraged to practice, repeat, and understand the information provided in each BMP.

Contents

1	Preface.....	2
2	Introduction.....	7
2.1	Background/Situation.....	7
2.2	Issue.....	7
2.3	Scope.....	8
3	Objectives.....	9
4	Project Overview.....	10
4.1	Purpose and Function.....	10
4.2	Potential Effects on Wildland Fire Response.....	10
5	COVID-19 Wildland Fire Strategic Scenarios.....	12
6	Strategic Considerations.....	15
6.1	MAC Strategic Considerations.....	15
6.2	Public Information.....	17
6.3	Transportation.....	17
6.4	Cooperator Response.....	18
7	Response Plan Distribution.....	19
8	Glossary of Terms.....	20
9	References, Resources, Websites.....	25
	Appendices.....	26
	Appendix A – All Fire Personnel Best Practices.....	27
	Appendix B – Best Management Practices - Outline.....	32
	Appendix B.1.a. – Coordinating Group – Mobilization Operations (GACC/Dispatch).....	33
	Appendix B.1.b. – Coordinating Group – Cache Operations.....	34
	Appendix B.1.c. – Coord. Group – Local Govt, Contractor, International, Military.....	36
	Appendix B.2.a. – Module Level – Fixed-Wing Operations (SMKJ, Air Attack, LP, AT).....	38
	Appendix B.2.b. – Module Level – Rotor-Wing Operations (Helicopter).....	40
	Appendix B.2.c. – Module Level – Airbase/Helibase Operations (SMKJ, ATGS, Reload).....	42
	Appendix B.2.d. – Module Level – Rolling/Floating Stock Operations.....	44
	Appendix B.2.e. – Module Level – Crew Operations.....	45
	Appendix B.3. – Initial Attack Operations.....	46
	Appendix B.4.a. – Extended Attack/Complex Fire – Operations.....	47

Appendix B.4.b. – Extended Attack/Complex Fire – Logistics.....	48
Appendix B.4.b.1. – Extended Attack/Complex Fire - Logistics - Ground Support	49
Appendix B.4.b.2. – Extended Attack/Complex Fire – Logistics – Supply.....	50
Appendix B.4.b.3. – Extended Attack/Complex Fire – Logistics – Security.....	51
Appendix B.4.b.4. – Extended Attack/Complex Fire – Logistics – Medical.....	52
Appendix B.4.b.5. – Extended Attack/Complex Fire – Logistics – Communications/IT	54
Appendix B.4.b.6. – Extended Attack/Complex Fire – Logistics – Food.....	55
Appendix B.4.b.7. – Extended Attack/Complex Fire – Logistics – Facilities.....	56
Appendix B.4.c. – Extended Attack/Complex Fire – Plans Section	57
Appendix B.4.d. – Extended Attack/Complex Fire – Finance.....	59
Appendix B.4.e. – Extended Attack/Complex Fire – Fire Information	61
Appendix B.4.f. – Extended Attack/Complex Fire – Safety	63
Appendix B.4.g. – Extended Attack/Complex Fire -- Liaison.....	65
Appendix B.4.h. – Extended Attack/Complex Fire – Incident Commander	68
Appendix B.5.a. – Management Practices – Agency Administrator	70
Appendix B.5.b. – Management Practices – Fire Management	73
Appendix C – Wildland Fire COVID-19 Screening Tool	75
Appendix D – Contact Lists	80
Appendix E – Transportation	82
Appendix F – RESERVED.....	84

2 INTRODUCTION

2.1 Background/Situation

Coronaviruses are a large family of viruses that cause illnesses ranging from the common cold to more severe diseases such as Middle East Respiratory Syndrome (MERS) and Severe Acute Respiratory Syndrome (SARS). Coronaviruses comprise an entire branch of the virus family tree that includes the disease-causing pathogens behind SARS, MERS and several variants of the common cold that infects humans. A new variant of this family has arisen over the last few months and has spread around the world. SARS-CoV-2 is the name of the virus that's spreading; COVID-19 is the disease it causes.

Information regarding current risk and threat of COVID-19 is updated continuously on the [Centers for Disease Control and Prevention](#) (CDC) website.

2.2 Issue

Like other coronaviruses, the SARS-CoV-2 virus infiltrates the airways of its hosts. At worst, these pathogens cause severe forms of viral pneumonia, which in some cases leads to death. The vast majority of COVID-19 cases – [about 80 percent](#) – appear to be mild, causing a spate of cold-like symptoms like coughing, shortness of breath, and fever. Many people are suspected to carry the virus without presenting any symptoms. COVID-19's spread rate suggests the virus is more contagious than any of its predecessors, as well as most strains of the distantly related influenza virus.

According to the World Health Organization, individuals with underlying medical issues including respiratory and heart conditions, as well as smokers, are among those at highest risk. Despite some reports to the contrary, children can be infected, but [appear less vulnerable](#).

The virus is capable of moving directly from person to person through droplets produced by coughs or sneezes that travel through the air to settle directly on skin or frequently touched surfaces, like doorknobs or cell phones. After a person is exposed, symptoms can take weeks to appear, if they do at all. Those who carry the virus without showing signs of illness can still spread the disease.

Projections have been made for significant numbers of individuals in America to become infected with COVID-19. The World Health Organization has declared the widely dispersed geographic spread of COVID-19 a pandemic. The President has declared a national emergency; additionally, all 50 States, the District of Columbia, and all territories have declared states of emergency as well. Current mitigation measures have resulted in business closures, reductions in commercial travel, grocery supply shortages, and restrictions on all types of gatherings with even moderately small numbers of individuals.

Wildland fire response has been ongoing and increasing in activity. Advance planning is a necessary part of ongoing efforts to prepare for the potential impacts of this pandemic. It will be necessary to ensure that as fire activity increases and demands for firefighters and equipment expand, all steps have been taken to ensure the ability to sustain an effective wildfire response while ensuring the maximum safety of all personnel.

In addition, any exacerbating effects that wildfire smoke may have on COVID-19 are not well known at this time. Although not directly researched or tested, the exposure to wildfire smoke appears to potentially lead to increased susceptibility to COVID-19, may worsen severity of the infection, and may

pose more risks to those who are recovering from serious COVID-19 infection. These concerns are based on research into the respiratory effects of acute and long-term air pollution and specifically respiratory effects of biomass burning smoke and subsequent infection with influenza and other viruses (see [Appendix F](#)).

2.3 Scope

The National Area Command Teams (ACTs) and one Geographic Area Incident Management Team (IMT) were tasked by the National Multi-Agency Coordinating Group (NMAC) to coordinate with federal, state, county, and tribal officials to identify all issues related to the COVID-19 pandemic and wildland fire response in the United States and Territories. Their mission entailed direct work with all Geographic Areas (GAs) in the US, Geographic Area Coordinating Groups (GACGs), Geographic Area Coordination Centers (GACCs), the National Multi-Agency Coordinating Group, and the National Interagency Fire Center (NIFC) External Affairs Staff to develop WFRPs for each of the ten GAs. The teams did not independently prepare the plans but worked in concert with the GA and all member agencies and organizations to ensure a coordinated plan development. Considerable input came from sources within the GA and this plan would not have been possible without that coordinated effort and comprehensive involvement.

These plans specifically reference and provide considerations on maintaining continuity of wildland fire response; sustaining, to the extent possible, the highest degree of resource availability; and ensuring safety and protection of all wildland fire response personnel at all levels in all areas across the country.

Information in this plan is designed to provide considerations that help guide all wildland fire agencies and organizations in maintaining continuity in all aspects of wildland fire response at all levels (national, geographic, and local). Specifically important are areas of initial attack, extended attack, and large fire response, as well as coordination and support functions (dispatch, cache, etc.). This plan outlines potential scenarios that may be encountered at all levels involved directly or indirectly in wildfire response, provides general strategies useful at national levels, delivers general strategies and implementation considerations pertinent to geographic area/regional/state levels, and recommends best practices highly relevant at local levels and various functional areas of wildfire response activities during this pandemic.

This Wildland Fire Response Plan for the COVID-19 Pandemic for the Alaska Geographic Area is a living document and will be managed (continually reviewed and updated as appropriate) by the Alaska Wildland Fire Coordinating Group.

3 OBJECTIVES

This Wildland Fire Response Plan for the COVID-19 Pandemic for the Alaska Geographic Area was prepared with the following objectives:

- Identify issues that relate to the COVID-19 pandemic and wildland fire response. Liaise and identify these issues through coordination with federal, state, county, and tribal health officials.
- Develop Wildland Fire Response Plans that address wildland fire response strategies, considerations for implementation actions, and responsibilities of all involved participants from the point of mobilization to demobilization. This information is presented in a format useful for national level management groups, geographic area/regional/state level management groups, and local level operational units and functional staffs involved in response implementation. Specific response capabilities addressed in this plan include:
 - Maintaining continuity in response capability for:
 - initial attack,
 - extended attack/complex fire management,
 - dispatch, support, and coordination
 - Identification and documentation of procedures to mitigate impacts due to potential exposure to COVID-19 during an incident.
 - Identify, define, and document protocols on how to manage potential COVID-19 exposure incidents for initial and extended attack incidents.
 - Identify, define, and document protocols for Incident Management Teams to mitigate COVID-19 exposure concerns and provide to IMTs, and all units.
 - Identify, define, and document protocols for wildland fire response to areas with known exposure to COVID-19.
- Develop Wildland Fire Response Plans without contradicting any currently developed protocols by any Agency.
- Ensure that the Wildland Fire Response Plans are developed to promote interagency coordinated response to wildland fire management regarding COVID-19.

4 PROJECT OVERVIEW

4.1 Purpose and Function

Three Area Command Teams and one Incident Management Team were mobilized with responsibility to develop COVID-19 Wildland Fire Response Plans for specific GAs. The respective assignments per team were:

- **ACT 1 Stutler:** Rocky Mountain, Northwest, Alaska
- **ACT 2 Sexton:** Southern Area, Great Basin, Northern Rockies
- **ACT 3 Jalbert:** Southwest, Southern/Northern California
- **Eastern Area T2 IMT Goldman:** Type 2 IMT worked under ACT 2 to develop a COVID-19 Wildland Fire Response Plan for the Eastern Area.

The four teams developed Wildland Fire Response Plans with the goal of coordinating with as many agencies, organizations, and individuals in each Geographic Area as practical. They worked directly with each Geographic Area's Coordinating Group Chair, various dispatch/coordination centers, and various local units. They also worked under direction and supervision of NMAC, through a Team Coordinator (Joe Reinarz) and maintained frequent contact and communication through multiple daily briefings to NMAC.

All plans were developed using a standardized template and process for national standardization; but development included attention and inclusion of all specific concerns for the Geographic Area covered by the plan.

The teams' coordination with the GA during development of the Plans enabled clear communication to all involved participants and vastly improved awareness and understanding of the purpose and intent of the WFRP. It also reduced some, but not all, potential duplication of effort, ensured a coordinated effort, and ensured support and endorsement at all levels.

All four teams worked in this role as a support function, had no control responsibilities, and to the fullest extent possible, did not transfer additional work to any participating Geographic Area organizations.

4.2 Potential Effects on Wildland Fire Response

The rapid spread rate of COVID-19 indicates how highly contagious it is. Exposure of uninfected individuals to infected individuals triggers a near exponential spread and proliferation of the disease.

Wildland fire incident management activities create an ideal environment for the transmission of infectious diseases: high-density living and working conditions, lack of access to and use of soap and sanitizers, and a transient workforce. These and other environmental and occupational factors (e.g., smoke, heat, plants, insects, fungus, fatigue, and physically demanding work) can increase the likelihood of disease transmission. Often, fire camp situations cause rapid increases in the number of symptomatic fire personnel and suspected cases, resulting in an infectious disease outbreak on an incident. An outbreak is the occurrence of more cases than would normally be expected in a specific place or among a group of people over a given time period.

Working conditions frequently involve smoky conditions and any effects that wildfire smoke may have on COVID-19 spread are not well known at this time. This could also potentially increase the occurrence of COVID-19 cases or seriousness and raises additional concerns.

The wildland fire response system is unique regarding its structure, capability, and function compared to the first responder system throughout the country. Wildland fire response is initiated at the local level with a finite number of firefighting resources. Should these resources be unable to take care of all needs, additional resources are ordered from neighboring units and ultimately, additional resources can be mobilized from anywhere in the country. What makes this system unique is that no base or location has enough backup resources to cover responsibilities during high fire activity periods. In the event of substantial personnel absences, even for a scenario of a small to moderate percentage of individuals becoming unavailable due to exposure to COVID-19, additional resources from other units and areas will be necessary. In the event of a high disease spread scenario with a high rate of infection, the associated loss of individuals from service will, in even a moderately active fire season, severely tax the ability to maintain an adequate wildfire response.

These Plans were prepared to define strategies to assess risks, develop recommendations for implementation actions, and identify immediate, mid-term, and long-term needs to ensure that continuity of wildfire response capability can be maintained across the country. These plans address exposure prevention, exposure mitigation, equipment and facility maintenance and care along with strategies for ensuring resource availability are addressed in these plans.

5 COVID-19 WILDLAND FIRE STRATEGIC SCENARIOS

Wildland fire response information and considerations are not presented in a prescriptive format. Since some information is more applicable from a management standpoint and useful by decision makers, strategic considerations for national and geographic area/regional/state considerations are presented in the main body of the plan. Other information more useful and applicable to local level implementers and functional groups who may be on the first line of exposure to the disease is presented in Appendices A and B as best management practices and is suitable for direct adoption and implementation.

Throughout the course of the upcoming fire season, there are potential scenarios that may be encountered by all levels involved directly or indirectly in wildland fire response. These are shown in Figure 1. Information shown for these scenarios is applicable at all response levels and all organizational levels. This information illustrates strategic response considerations and actions employable at national, geographic area/regional/state, and local levels.

Figure 1 shows five possible scenarios involving wildfire response in the COVID-19 pandemic. The first involves the pre-exposure scenario where operations are functioning. Exposure in this chart and this plan is used in the context of being subjected to contact with the coronavirus responsible for COVID-19. Key strategic elements include prevention and containment. Prevention refers to the limiting of exposure to individuals while containment means to prevent the spread of this infectious disease beyond an individual or a small group of people that may have been infected to a broader group. The second scenario involves exposure with strategic elements of prevention, containment, and quarantine. Quarantine separates and restricts the movement of people who were exposed to COVID-19 to see if they become sick.

The third scenario involves one where fire response individuals have become infected. Strategic elements here include prevention, containment, treatment, management, and isolation. Isolation involves separating positive infected people from those who are not infected. The fourth scenario includes recovery with strategic elements of prevention, containment, treatment, and management. The final scenario involves preparation for return to service following recovery from the disease.

COVID-19 Progression and Impacts to Maintaining Wildland Fire Response Capability




Figure 1: COVID-19 Wildfire response operations, scenarios that may be encountered, and strategic planning elements for each.

Following Figure 1 is a table that provides more detailed information regarding strategic issues, immediate needs, prevention/containment actions, and management/treatment actions. This table is by no means the complete authority on strategic responses to this disease but contains considerations useful at management levels. More specific information on these topics that is relevant to local level implementers and functional groups is provided in the section on Best Management Practices [Appendix B](#).

Table 1. Recommended management level issue points for COVID-19 wildfire response including basic strategies, immediate needs, avoidance/containment action considerations, and management/treatment action considerations.

Strategies	Immediate Needs	Prevention/Containment	Management/Treatment
<ul style="list-style-type: none"> • Develop long-term planning to mitigate and respond to COVID-19 spread to prevent the loss of wildland fire response capability, exposure of wildland fire resources to the disease, and potential contamination of initial attack resources by exposed individuals • Ensure that all personnel are cared for in the safest possible manner and subjected to prevention, containment, management, and treatment as needed. Incorporate social distancing standards into day-to-day operations. • Maintain functioning wildland fire response operations from bases with regular crews. 	<ul style="list-style-type: none"> • Definition of new protocols/standards for personal hygiene and clothes laundry. • Definition of processes for equipment disinfection. • Acquisition of necessary equipment and/or support to disinfect equipment. • Obtain additional hand washing stations as needed. • Contingency planning if not covered by existing COOPs, <ul style="list-style-type: none"> ○ Designation of 1st, 2nd and 3rd alternate bases ○ Designation of 1st, 2nd, and 3rd alternate staffing units. • Obtain level B or splash protective suits for use in disinfecting equipment as needed. • Determination of availability and acquisition of disease testing kits. • Determination of proper responsibility for testing exposed personnel. • Determination of process and appropriate products to use for cleaning/disinfection of equipment with special reference to hand tools, vehicles, aircraft, computers, radios, pumps and chain saws, etc. • Determination of protocols for isolation and removal from active duty and locations. 	<ul style="list-style-type: none"> • Close operating base to the public and all non-essential personnel. • Provide recommended social distancing guidelines. • Practice personal hygiene. • Screen all personnel when entering base area, before starting work – check temperature, check for overall feeling, check for coughing, and other symptoms. • Configure and set up testing capability for firefighters at local unit or local health facilities, when it becomes available. • Prioritize firefighters for testing and vaccine (if one is developed). • Enhance personal hygiene. • Isolate firefighters as much as possible. • Disinfect equipment, on a regular basis. • Launder PPE on a regular basis. • Develop a plan for prioritizing fires for response, especially if COVID-19 spread is high and fire season activity is high. • Plan for shifts in wildfire response strategy, ranging from highly prioritized IA to reducing overall firefighter exposure by prioritizing responses. 	<ul style="list-style-type: none"> • Determination of protocols for sending exposed individual home or to medical facilities. • Determination of quarantine protocols in conjunction with local, county, and State officials. • Determine quarantine oversight responsibility. • Determination of protocols to determine when individuals are available to return to active duty.

6 STRATEGIC CONSIDERATIONS

Specific recommended management considerations for fire managers at the national, geographic area, and sub-geographic area are provided in this section. This information is also applicable to agency units and local levels although some of it will not have the same utility for all participating agencies and organizations. In other cases, more specific practices and protocols may be developed and implemented at local levels. Strategic considerations of importance include, but are not limited to the following points:

6.1 MAC Strategic Considerations

Fire Personnel Readiness

Consider:

- ✓ Managing qualifications and training by delaying, virtualizing, expanding focus to COVID-19, and adding flexibility/waivers.
- ✓ Expanding prevention activities: expand public information campaigns and public use restrictions and consider virtual opportunities.
- ✓ Pre-identifying potential control locations for aggressive response.
- ✓ Expanding use of emerging technology: leveraging remote operations, briefings, sensing and surveillance.
- ✓ Rapidly contracting and focusing on specific needs: explore opportunities for greater use of MRE's, medical equipment, PPE, remote sensing.
- ✓ Increasing and maintaining response capacity:
 - Seek additional aviation resources and local surge capacity.
 - Maximize use of permanent resources.
 - Provide employee support for emotional well-being.
- ✓ Tracking situational awareness - build tracking systems for situational awareness of firefighter exposure and infections.
- ✓ Practicing self-quarantine: priority functions (dispatch, pilots, IMT C&G) limit exposure.
- ✓ Practicing social/physical distancing.
- ✓ Enhancing personal hygiene.
- ✓ Ensuring personnel have more than one set of personal protective equipment (PPE).
- ✓ Making laundering possible on a regular basis.
- ✓ Monitoring personnel for symptoms.
- ✓ Testing personnel when tests become available and in accordance with [Appendix C](#).
- ✓ Strictly adhering to BMPs listed in [Appendix B](#) and practicing their use before fire activity increases.

Modifying Strategies, Tactics, and Logistics.

Consider:

- ✓ Strategy and Tactics
 - Adapting existing wildfire response plans to include additional response options that address the new fire environment in relationship to COVID-19.
 - Pursuing opportunities for monitoring low-risk fires.
 - Making full use of fire management options identified in the Alaska Interagency Fire Management Plans, agency-specific fire management plans, and preparing for more discriminate use of resources, especially for fires that occur in high-risk areas.
 - Exploring opportunities for managed fire, more indirect attack, and designation of management action points using natural barriers.

- Planning for the potential for increased smoke loads to communities and plan and implement early warning/communication for likely events.
- Utilizing suppression strategies that will minimize assigned personnel and incident duration.
- Implementing swift initial response to minimize possibility of large fire occurrence, while not employing higher risk tactics to keep fires small.
- Within agency protocols and to the degree possible, augmenting fire response resources with non-fire staff to help sustain fire response capability.
- Evaluating opportunities for application of aviation and mechanized assets to reduce assigned personnel.
- Using a prioritization process to assure the effective use of resources.
 - Prioritizing initial attack.
 - Extended attack/complex fire management:
 - Expanding large fire prioritization processes.
 - Defining and utilizing a large fire triage process.
 - Emphasizing containment strategies and evaluating magnitude and duration of mop up to aid in minimizing assignment and potential exposure time.
- Expanding use of Decision Support Centers in all GACCs.
- Utilizing Predictive Services and professional judgement to balance assigned resources and incident duration.
- Expanding the use of experienced smoke personnel and/or Air Resource Advisors (ARA) to assess where wildfire smoke may go and impacts of smoke on firefighters and communities with COVID-19.
- Evaluating wildfire smoke level projections and trajectories during development of tactical operations.
- Preparing and implementing virtual incident management by IMTs - GA consider conducting simulated virtual IMT incident management prior to most active fire season periods.
 - Identifying and obtaining necessary technology.
 - Designating IMT sections/personnel that can complete work virtually and what minimum requirements are for managing incidents safely.
- Limiting large fire response to when life is imminently threatened.
- Altering catering/shower/washing station.
- Expanding medical support.
- Modular isolation in camps.
- Two-way isolation: closed camps with security, no leaving camp to travel into communities.
- ✓ Having personnel carry extra PPE.
- ✓ Following recommended guidelines for disinfecting fire equipment on a regular basis.
- ✓ Following agency-specific policies and protocols regarding use of shared housing.

Drawdown Projections and Contingency Opportunities:

Consider:

- ✓ Recommending that local units prepare contingency plans for resource drawdown during fire seasons.
 - Evaluating how existing staffing and management will be affected by a 10, 30, or 50% reduction in resource availability.
 - Identifying options available during drawdown periods.
 - Evaluating options for base closing and/or consolidation.
- ✓ NMAC and GMAC consider possible adjustments in resource drawdown as fire season progresses.
- ✓ Determining opportunities to obtain international assistance:

- Identifying sources of additional resources.
- Identifying potential amounts of resources needed at escalating preparedness levels.
- Pursuing early use and consul of Australian fire managers involved in 2019-2020 Australian fire season response with limited and declining resource numbers.
- Pursuing early contact with Canadian fire managers to prepare for potential assistance and to coordinate mutual support efforts.
- Pre-planning any international agreements, waivers, funding, and other administrative requirements and have them complete by start of active fire seasons.

Leveraging Best Available Information Management and Technology:

Consider:

- ✓ Communication:
 - Expanding the use of technology and local networks for remote/virtual community meetings and updates.
 - Expanding and focusing communications by developing COVID-19 communications tool kit and strategies for two-way virtual communications with communities.
- ✓ Technology:
 - Preparing for more remote operations, briefings, sensing, and surveillance.
 - Identifying technology needs, costs, and proactively implement actions.
 - Pursuing increased use of UAS (seek waivers where necessary; seek increased agency support).
 - Expediting contracting of UAS equipment.
 - Identifying and using the best technology to reach affected communities.

6.2 Public Information

Consider national and geographic direction on Information releases regarding COVID-19 specific issues on wildland fire incidents managed by IMTs (type 1-3) and ACTs. All releases must be consistent and follow the Delegation of Authority the team is working under. Local unit Public Affairs offices will maintain close contact with Regional, National and Department Office directives and be able to guide Public Information Officers (PIOs) on what can/cannot be released.

Many remote rural communities are not well served by information dissemination via internet and social media. Agencies have traditionally relied on community meetings and staffed information boards to allow personal dialogue in these impacted communities. This plan foresees that in almost every case, these tools are no longer available to PIOs in areas impacted by COVID-19. The best methods of communication will be assessed for affected communities at the onset of an incident. Efforts will be made to inform the community on the most effective and efficient ways to obtain fire information.

The Fire Information BMP in [Appendix B](#) provides new and existing information dissemination methods to maximize social distancing. Host units should evaluate and update contact lists and e-trap lines as much as possible in advance and provide to team PIOs within in-briefing packages. That BMP also provides more detailed information regarding the best practices for the Information function.

The shift to a primarily virtual environment will require substantial preparation and investment to assure bandwidth, quality hardware and software, and the training to implement these platforms. Agencies should not rely on incoming PIOs to provide their own hardware, site licenses, etc.

6.3 Transportation

Appendix E identifies the various modes of transportation available to transport resources to an on-going incident from within the geographic area or nationally, while considering the potential impacts of

COVID-19 exposure and infection associated with each mode. While in travel status, refer to the Travel BMP. See [Appendix E](#).

6.4 Cooperator Response

- ✓ Determine opportunities for use of military resources.
 - Identify how military resources can be used and augment existing firefighting resources.
 - Identify accelerated training capabilities to advance readiness earlier in fire season.
- ✓ Consider all opportunities for staffing MAC functions remotely.
- ✓ Consider the most efficient ways to manage multiple large fire situations (i.e., oversight, span of control, numbers and types of incident organizations).
- ✓ Consider MAC level management of work-rest for national resources in short supply.
- ✓ Consider working pre-season with cooperator, partners, and stakeholders to identify how COVID-19 may affect existing agreements and operating plans. Ensure changes in agreements and operating plans are communicated to all fire personnel.
- ✓ Establish contact with each Governor's State Forester/Fire Chief representative to determine travel restrictions and closures.

7 RESPONSE PLAN DISTRIBUTION

This plan will be handed off to the Alaska Geographic Coordinating Group, to be further distributed to:

- Coordination Centers
- Dispatch Offices
- Agency Administrators
- Fire Staff
- Incident Management Teams
- All levels of firefighting resources

8 GLOSSARY OF TERMS

Active monitoring: Refers to when the state or local public health authority assumes responsibility for establishing regular communication with potentially exposed people to assess for the presence of fever, cough, or difficulty breathing. For people with high-risk exposures, CDC recommends this communication occur at least once each day. The mode of communication can be determined by the state or local public health authority and may include telephone calls or any electronic or internet-based means of communication.

Afebrile: Not feverish.

Asymptomatic: Not showing any signs of having the disease.

Close contact: Being within approximately 6 feet (2 meters) of an individual for a prolonged period or, having direct contact with infectious secretions from an individual (e.g., being coughed upon).

Cluster: An aggregation of disease cases grouped in place and time that are suspected to be greater than the number expected, even though the expected number may not be known.

Conditional release: A set of legally enforceable conditions under which a person may be released from more stringent public health movement restrictions, such as quarantine in a secure facility. These conditions may include public health supervision through in-person visits by a health official or designee, telephone, or any electronic or internet-based means of communication as determined by the CDC Director or state or local health authority. A conditional release order may also place limits on travel or require restriction of a person's movement outside their home.

Confirmed COVID-19 infection: Positive determination of COVID-19 infection from a laboratory test. Also referred to as a Positive COVID-19 infection.

Congregate settings: Crowded public places where close contact with others may occur, such as shopping centers, movie theaters, stadiums.

Containment: A public health strategy in which officials aim to prevent the spread of an infectious disease beyond a small group of people to the broader community. Containment actions include restricting travel from affected regions, identifying infected people and tracking down everyone they live with or have spent time with (contact tracing), and asking those who have been exposed to the virus to stay at home for a period of time.

Controlled travel: Exclusion from long-distance commercial conveyances (e.g., aircraft, ship, train, bus). For people subject to active monitoring, any long-distance travel should be coordinated with public health authorities to ensure uninterrupted monitoring. Air travel is not allowed by commercial flight but may occur via approved noncommercial air transport. CDC may use public health orders or federal public health travel restrictions to enforce controlled travel. CDC also has the authority to issue travel permits to define the conditions of interstate travel within the United States for people under certain public health orders or if other conditions are met.

Coronavirus: A family of viruses that cause illness ranging from the common cold to more severe diseases, such as Middle East Respiratory Syndrome (MERS-CoV) and Severe Acute Respiratory Syndrome (SARS-CoV). The novel coronavirus recently discovered has been named SARS-CoV-2 and it causes COVID-19. Source: [WHO](#)

COVID-19: The name of the disease caused by the novel coronavirus, SARS-CoV-2. “CO” stands for “corona,” “VI” for “virus,” and “D” for disease. Formerly, this disease was referred to as “2019 novel coronavirus” or “2019-nCoV”.

COVID-19 PPE: General cleaning for prevention of spread PPE consists of latex or rubber gloves, facemask, eye protection (goggles/face shield). For personnel displaying symptoms, back off, isolate, and call trained EMS personnel for assistance (fire department/ambulance service).

Drive through testing: Individuals remain in their vehicles, and medical staff in protective gear come to administer the swab test and the swabs are sent to a laboratory for testing.

e-iSUITE: A software program used to manage incident resources. The e-ISuite system is a web browser (e.g. Internet Explorer) enabled application for use at the Incident Command Post (ICP) and in agency offices to manage emergency incidents and planned events. No software licenses are required to use e-ISuite. A web browser is all each user will need to run the application. The e-iSuite Enterprise System is hosted on the USFS Fire and Aviation Management National Enterprise Support System (NESS) General Support System (GSS) at the National Information Technology Center (NITC), Kansas City, MO and will support all incidents at an enterprise level.

Endemic: The constant presence and/or usual prevalence of a disease or infectious agent in a population within a geographic area.

Epidemic: An increase, often sudden, in the number of cases of a disease above what is normally expected in that population in that area. Source: [CDC](#)

Essential activities: Tasks essential to health and safety, such as obtaining food, medicine, or seeing a doctor. The CDC provides further [guidance](#) on the following:

- Shopping for food and other household essentials
- Accepting deliveries and takeout orders
- Banking
- Getting gasoline
- Going to the doctor or getting medicine
- Essential businesses are defined differently within different States, refer to local guidelines for more information

Exposure: Contact with someone infected with the coronavirus responsible for COVID-19.

FirstNet: The First Responder Network Authority (also referred to as FirstNet) is the independent authority within the National Telecommunications and Information Administration (NTIA), established by Congress in 2012 to develop, build and operate a nationwide, broadband network dedicated to public safety. The purpose of FirstNet is to have an interoperable public safety network so first responders don't have to compete for bandwidth, including cellular bandwidth, with non-public safety users. In 2017, through a public-private partnership, AT&T was awarded a 25-year contract to deploy and operate the FirstNet network including use of 20 MHz of federally owned spectrum. Since 2017, Verizon has launched a private core of their own dedicated network for public safety and first responders, not directly connected with the NTIA FirstNet Authority or the federally owned spectrum. For more information refer to <https://firstnet.gov/>.

Flattening the curve: Slowing a virus' spread to reduce the peak number of cases and related demands on hospitals and infrastructure (Source: [CDC](#)).

General purpose facemask: A loose-fitting, disposable device that creates a physical barrier between the mouth and nose of the wearer and potential contaminants in the immediate environment. Facemasks do not seal tightly to the wearer's face, do not require fit testing, but do provide the wearer with a reliable level of protection from inhaling smaller airborne particles (not suitable for close contact with a known or suspected COVID-19 infection).

Home isolation: Persons with COVID-19 who have symptoms or laboratory-confirmed COVID-19 who have been directed to stay at home until they are recovered.

(Source: <https://www.cdc.gov/coronavirus/2019-ncov/hcp/disposition-in-home-patients.html>)

Incident Within an Incident (IWI): Any accident, injury, or medical emergency during an incident directly involving Incident Management Team personnel and assigned resources. An IWI may also be a situation involving civilians not associated with the incident but occur in or near the wildland fire or all-hazard event that responding or assigned agency personnel assist with. Protocols for IWI should be predetermined and understood by all incident managers.

Incubation period: The length of time between when an infection begins and when there are apparent signs of the disease. Most indications give the coronavirus an incubation period of 2-14 days with symptoms most commonly showing at about 5 days after infection (World Health Organization).

Isolation: Separating sick people with a contagious disease from those who are not sick. Source: [CDC](https://www.cdc.gov).

Mitigation: Slowing the spread - taking measures to cause the rate of increase of the number of cases to be slowed to low levels.

“Module as One”: the consideration of a module of firefighters as a single individual for purposes of potential COVID-19 exposure and transmission. Modules may range from 2-10 individual firefighters. A “Module as One” rides together in the same vehicle and consequently cannot practice social distancing during vehicle transport. A “Module as One” works together in relatively close proximity while conducting fire assignment duties. Fire managers, IMTs and fireline supervisors should consider all module members exposed if one of the module members has been exposed. During a mobilization (i.e., departure from until return to home unit) a module must remain intact (i.e., no replacements to or from the module).

N95 respirator (face mask): a **respiratory protective device** designed to achieve a very close facial fit and very efficient filtration of airborne particles. The 'N95' designation means that when subjected to careful testing, the respirator blocks at least 95 percent of very small (0.3 micron) test particles. If properly fitted, the filtration capabilities of N95 respirators exceed those of face masks. At this time, the Centers for Disease Control and Prevention (CDC) does not recommend that the general public wear N95 respirators to protect themselves from respiratory diseases, including coronavirus (COVID-19). Those are critical supplies that must continue to be reserved for health care workers and other medical first responders, as recommended by current CDC guidance. N95s may be used for other workers to provide protection from other hazards if deemed necessary. Note all workers who wear respirators to protect themselves from workplace hazards must comply with the OSHA respirator standard.

Outbreak: Carries the same definition of epidemic but is often used for a more limited geographic area.

PACE: Primary, alternate, contingency and emergency plan.

Pandemic: An epidemic that has spread over several countries/continents, usually affecting a large number of people. Source: [CDC](#).

Physical distancing: also called social distancing - measures taken to keep physical space between one or more individuals outside of homes, businesses, and other buildings with a goal to stop or slow the spread of a contagious disease. Measures can include:

- not gathering in groups and staying out of crowded places and avoiding mass gatherings.
- working from home.
- closing offices and schools.
- canceling events.
- avoiding public transportation.
- keeping at least 6 feet (2 meters) between individuals.

Positive COVID-19 infection: Positive determination of COVID-19 infection from a laboratory test. Also referred to as a Confirmed COVID-19 infection.

Positive screening: Defined in this plan as a person with indications of illness based on Wildland Fire COVID-19 Screening procedures. ([Appendix C](#)).

Public health orders: Legally enforceable directives issued under the authority of a relevant federal, state, or local entity that, when applied to a person or group, may place restrictions on the activities undertaken by that person or group, potentially including movement restrictions or a requirement for monitoring by a public health authority, for the purposes of protecting the public's health. Federal, state, or local public health orders may be issued to enforce isolation, quarantine or conditional release. COVID-19 meets the definition for "severe acute respiratory syndromes" as set forth in Executive Order 13295, as amended by Executive Order 13375 and 13674, and, therefore, is a federally quarantinable communicable disease.

Quarantine: In contrast to isolation, quarantine applies to people who have been exposed and may become infected but are not yet infected. In these cases, the people exposed (or potentially exposed) are separated and have restricted movement imposed. Quarantine can be voluntary or mandated. Source: [CDC](#).

SARS-CoV-2: The name of the novel coronavirus that causes COVID-19 disease. Source: World Health Organization [WHO](#).

Self-monitoring: People monitoring themselves for fever by taking their temperatures twice a day and remain alert for cough or difficulty breathing. If they feel feverish or develop measured fever, cough, or difficulty breathing during the self-monitoring period, they should self-isolate, limit contact with others, and seek advice by telephone from a healthcare provider or their local health department to determine whether medical evaluation is needed.

Self-observation: Refers to people remaining alert for subjective fever, cough, or difficulty breathing. If they feel feverish or develop cough or difficulty breathing during the self-observation period, they should take their temperature, self-isolate, limit contact with others, and seek advice by telephone from a healthcare provider or their local health department to determine whether medical evaluation is needed.

Self-quarantine: Staying home and away from other people as much as possible after exposure through voluntary separation.

Shelter in place: All residents must remain at their place of residence, except to conduct essential activities, essential businesses, and essential government functions.

Social distancing: also called physical distancing - measures taken to keep physical space between one or more individuals outside of homes, businesses, and other buildings with a goal to stop or slow the spread of a contagious disease. Measures can include:

- not gathering in groups and staying out of crowded places and avoiding mass gatherings.
- working from home.
- closing offices and schools.
- canceling events.
- avoiding public transportation.
- Staying at least 6 feet (2 meters) from other people.

Spike Camp: a secondary or temporary camp away from the main camp, that can be indoors or outdoors.

Suppression: Where the rate of increase of the number of cases has been slowed to low levels and is maintained for a period of time, potentially up to 18 months.

Symptom: A sign or indication that someone has a disease.

Symptomatic: Showing signs of the disease like fever, cough, and shortness of breath.

UAS: an unmanned aircraft system; consists of an unmanned aircraft, its mission payloads, launch and recovery equipment, ground control station, and control and data links.

Vaccine: A biological preparation that provides active acquired immunity to a particular disease.

9 REFERENCES, RESOURCES, WEBSITES

During the emergence of the COVID-19 pandemic, the sharing of related information was prolific; and since that time, information of all types has continued to emerge and will continue to emerge far after completion of the first version of this WFRP. An abundance of reference material with useful information was available during the development of the WFRPs, and new information and reference materials are continually being produced and shared.

Numerous references, resources, and official websites have been the principal sources of information used in the development of this plan. Due to the substantial amount of material that was reviewed, the information has been electronically stored in an online repository within the FireNet system rather than citing all materials in this WFRP and lengthening this document needlessly.

The online WFRP COVID-19 repository within FireNet consists of a master list of all references, resources, and websites – all cataloged and organized by subject matter in an Excel workbook. The workbook has several color-coded tabs, and each of those tabs are specific to a topic of information: *Aviation; Cache; Dispatch; Fire Response; Information; Liaisons; Logistics; Medical Response; Plans; Quarantine; Transportation; Virtual Ops; and Other.*

The first two yellow tabs in the workbook, “**By Document Name**” and “**Web References**,” are the indexed list of all documents or website references contained in the repository, organized alphabetically.

It is recommended that users of the cataloged repository review the information in the **READ_ME** tab of the workbook. This will assist users in efficiently locating the information of most interest.

This repository, located within FireNet, is public-facing and will be retained for as long as wildland fire response is impacted by the COVID-19 pandemic.

To visit the WFRP “*COVID-19 References_Resources_Websites*” repository within FireNet please click the link below; depending on your browser, you may have to copy/paste the entire URL into your browser address bar:

[COVID-19 References Resources Websites](https://firenet365.sharepoint.com/:x/s/2020_COVID-19_GeographicArea_WRP168/EfygkzSDAHJOmTGw7eh2wxkB-VTb-4H0PD7TkjVX20fLA?e=481kAa)

Or, copy and paste the following URL into your browser address bar:

[https://firenet365.sharepoint.com/:x/s/2020_COVID-19_GeographicArea_WRP168/EfygkzSDAHJOmTGw7eh2wxkB- VTb-4H0PD7TkjVX20fLA?e=481kAa](https://firenet365.sharepoint.com/:x/s/2020_COVID-19_GeographicArea_WRP168/EfygkzSDAHJOmTGw7eh2wxkB-VTb-4H0PD7TkjVX20fLA?e=481kAa)

This Page is Intentionally Blank

Appendix A – All Fire Personnel Best Practices

General Information

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authority, which currently provides the following: Some personnel (e.g., emergency first responders) fill essential (critical) infrastructure roles within communities. Based on the needs of individual jurisdictions, and at the discretion of state or local health authorities, these personnel may be permitted to continue work following potential exposure to COVID-19 (either travel-associated or close contact to a confirmed case), provided they remain asymptomatic. Personnel who are permitted to work following an exposure should self-monitor under the supervision of their employer's occupational health program including taking their temperature before each work shift to ensure they remain afebrile. On days these individuals are scheduled to work, the employer's occupational health program could consider measuring temperature and assessing symptoms prior to their starting work.
- Ryan White HIV/AIDS Treatment Extensions Act (2009) has been expanded to include COVID-19. The Act (Part G) provides emergency response employees (EREs) with notification (normally a violation of the Health Insurance Portability and Accountability Act (HIPAA)) when they are at risk of exposure to potentially life-threatening infectious diseases through contact with victims during emergencies. This information allows EREs the opportunity to seek timely medical care, and to make informed decisions about addressing potential health issues arising from their exposures. Health/medical personnel may be unaware of this provision and reluctant to provide information due to HIPAA regulations.
- We now know from recent studies that a significant portion of individuals with coronavirus lack symptoms (“asymptomatic”) and that even those who eventually develop symptoms (“pre-symptomatic”) can transmit the virus to others before showing symptoms. CDC recommends wearing cloth face coverings in public settings where other social distancing measures are difficult to maintain (e.g., grocery stores and pharmacies), especially in areas of significant community-based transmission
- Although not directly researched or tested, the exposure to wildfire smoke may potentially increase susceptibility to COVID-19, may worsen severity of the infection, and may pose a risk to those who are recovering from serious COVID-19 infection. These concerns are based on research into the respiratory effects of acute and long-term air pollution and specifically respiratory effects of biomass burning smoke and subsequent infection with influenza and other viruses.

Best Practices

- Social/physical distancing
 - Avoid physical contact with co-workers and the public; maintain a 6’ spacing.
 - Consider appropriate mitigation measures or PPE (plastic shields, masks) for personnel that have greater potential for close contact with incoming responders.
 - Assign vehicles to firefighters and avoid cross-over of employees and belongings.
 - Discourage shared use of phones, radios, or other work tools and equipment.
 - Conduct group meetings virtually with available video, tele-conferencing, and file sharing applications or limit groups to numbers in compliance with local and/or Statewide health authority direction.
 - Limit access to facilities for all non-fire personnel.

- Require personnel to keep a log of close contacts and submit to supervisors daily. Close contact is defined as being within approximately 6 feet of an individual for a prolonged period or having direct contact with potentially infectious secretions from an individual (e.g., being coughed or sneezed on).
 - Wear a facemask, bandana, or other suitable cloth covering when social distancing is compromised (vehicles, briefings, etc.).
- Face Coverings
- As of April 3, 2020, CDC has updated its recommendation on the use of cloth [face coverings](#) to help slow the spread of COVID-19.
 - Voluntary use of cloth face coverings is now recommended for use in public settings where other social distancing measures are difficult to maintain, especially in areas of significant community-based transmission.
 - Face coverings should be maintained in a sanitary manner (i.e., laundered without damage or change to shape) and should not be distracting or offensive to others.
 - Face coverings should fit snugly but comfortably against the side of the face; be secured with ties or ear loops, include multiple layers of fabric; allow for breathing without restriction; and be able to be laundered and machine dried without damage or change to shape.
- Personal hygiene
- Wash hands frequently for at least 20 seconds, with soap, after coughing or sneezing, when hands are visibly dirty, or after touching common surfaces (doorknobs, desktops, etc.).
 - Provide handwashing stations near frequently entered facilities.
 - Use hand sanitizer when getting in and out of vehicles and after fueling.
 - Consider the number of dedicated wash stations and/or portable restrooms needed to support, each bullet above.
 - Do not touch eyes, nose, mouth with gloved or unwashed hands.
 - Cover nose and mouth when coughing or sneezing. If using a tissue, immediately dispose the tissue and wash or sanitize hands.
- PPE laundry – regular basis
- Ensure clothing/PPE is kept clean and replaced when suspected contamination occurs.
 - On assignment, change PPE as often as practical (dependent on availability, laundry service, etc.).
 - Wipe down all non-laundered apparel (shoes, wristwatches, jewelry, etc.), with disinfectant.
- Workplace/equipment/cleaning procedures
- Develop routine daily cleaning procedures for places of work and rest, vehicles, and other equipment. Consult CDC guidance for everyday [cleaning/disinfection](#).
 - Use disinfectants on the list of [EPA approved cleaning supplies](#) for COVID-19 prevention.
 - Follow label instructions and use PPE (e.g., gloves, eye protection) appropriate for the disinfectant being used.
 - Designate a trained employee to oversee daily cleaning procedures.
 - Ventilate vehicles during and after transport.
 - Disinfect all “high-touch” surfaces in rooms and on equipment. In vehicles, these may include keys, door handles, steering wheel, gear shifter, radio and temperature controls, seatbelts, window controls, seats, and dashboard.

- If surfaces are noticeably dirty, clean soiled surfaces with detergent or soap and water before disinfecting them.
 - Follow CDC and local protocols to mitigate contact with bodily fluids, including the cleaning or disposal of PPE and equipment.
 - Use disposable paper towels with appropriate cleaning solutions, or wipes, for cleaning; towels/wipes – not sprays – are recommended to avoid aerosolizing germs on contact.
 - Thoroughly wet surfaces with cleaning solution and air dry; do not actively dry surfaces.
 - Wash hands thoroughly after cleaning equipment, surfaces, etc.
- Travel/transportation
- Minimize contact with non-fire personnel and time in public areas while travelling.
 - When using public transportation such as commercial aviation, use proper PPE to minimize exposure.
 - Follow guidelines for cleaning/disinfecting surfaces when staying in motels/hotels.
 - Stay in your hotel room to the extent possible and wipe down high touch areas.
 - Consider eating in your hotel room, utilizing take out or delivery. Maintain social distancing when eating while on the road.
 - Follow guidelines for cleaning/disinfecting vehicles.
 - Disinfect nozzles and keypads before fueling vehicles.
 - Consider use of rental RVs that can also be used for office space.
 - Have a three-day supply of water and MREs for each person if driving.
 - Maintain a manifest if travelling with others.
 - Expect fewer restroom facilities as you travel to an incident. Some states have closed visitor centers while others remain open. Many food service businesses are now drive thru only. Most vehicle service stations are open.
 - When using public facilities, be reminded that there is nothing to indicate the health of those there before you.
- Work under the “Module as One” concept
- Minimize exposure by not mixing personnel (e.g., same personnel assigned together for entire season, on same schedule, to same vehicle, on same assignments, in same camp).
 - Use the Module as One concept when assigning vehicles to firefighters and during transit to and from incidents.
- Other steps to reduce personal risk
- Eat smaller, more frequent meals that include fruits and vegetables to maintain blood sugar and support immune system.
 - Consume appropriate calories to support activity levels and regular body function.
 - Stay hydrated, drink water at regular intervals throughout the day.
 - Avoid stimulants near bedtime.
 - Provide a sleep environment that promotes sleep quality, comfort, cool temperatures, and low noise.
- Symptom monitoring/COVID-19 screening
- **Emergency warning signs** for COVID-19 include trouble breathing, persistent pain or pressure in the chest, confusion, and/or bluish lips or face. If these or other symptoms that

are severe or concerning present, **get medical attention immediately**. If possible, put on a cloth face covering before medical help is administered.

- General symptoms include fever (100.4° F or greater), cough, and/or shortness of breath, but may also include fatigue, chills, aches, sore throat, loss of taste and/or smell, or otherwise unexplained gastrointestinal issues.
- As a follow-up to showing symptoms, assess qualitative exposure to wildfire smoke, duration and relative (H/M/L) smoke level. Continue follow-up for cases resulting in hospitalization.
- Monitor the temperature of all personnel and watch for symptoms (fever is the most commonly presented). Ensure touchless infrared thermometers are available for use.
- Implement the *Wildland Fire COVID-19 Screening Tool* ([Appendix C](#)) when entering on duty at the home unit or arrival at the incident.
- If screening yields a positive result (positive screening), those Individuals should be removed from work and tested as soon as possible. If testing shows positive, those individuals should be released from the assignment until they meet the return to work criteria as described by CDC. Refer to the following sections on Testing and Positive Infection for further details.
- Individuals who test negative were probably not infected at the time the sample was collected and can return to work, although a negative test result does not rule out getting sick at a later date.
- If an individual who is part of an established module screens positive, the entire module should be tested as soon as possible. The same process for removal or return to work applies for the module for negative or positive results.
- Prior to release and return to home, positive screenings should be isolated in a separate location. This may require separate, dedicated and staffed areas/facilities to ensure that individuals with potential COVID-19 infection do not come in contact with other fire personnel.
- Next steps, including testing, should be coordinated with unit leadership, the medical unit and/or local health authority.
- Use appropriate PPE and social distancing protocols when entering the environment or in the presence of symptomatic personnel or positive screenings.
- The NFES 1660 – *Individual Infectious Barrier Kit* or NFES 1675 – *Multi-Person Infectious Disease Barrier Kit* (as needed) should be used by workers engaged in screening, workers helping to manage sick and/or asymptomatic personnel with recent COVID-19 interaction, and workers helping to sanitize infected areas, or any areas suspected of infection. Training and/or education for workers on donning, doffing, and disposal of such PPE is recommended.
- Develop a contact plan that includes a medical evaluation (e.g., COVID-19 testing) for symptomatic/positive-screening off-duty personnel.
- Provide any quarantined individual with a home thermometer, check in daily by phone to monitor symptoms, help with any logistical needs such as groceries, and give encouragement.
- Monitor employees for symptoms for a 14-day period following a suspected COVID-19 contact or exposure. Follow up with suspected exposure source. Have individuals tested and, if negative, allow personnel that had close contact to return to duty.

➤ Testing

- Use approved and recommended testing procedures and guidelines.
- If testing is available, ensure personnel are tested as soon as symptoms appear.

- Positive infection (test result)
 - Isolate and evacuate to a pre-determined site or hospitalize (as conditions warrant).
 - Require appropriate PPE for all interaction with infected individuals. Except in the case of specially trained medical/decontamination personnel, employee contact with known infection should be limited to only absolutely necessary instances.
 - Transport of infected individuals should be via qualified EMS personnel or fire personnel in full PPE recommended for protection from COVID-19 by federal, state, and local health authorities.
 - Notify immediate supervisor of the situation.
 - Review contact log and follow-up appropriately (i.e., contact tracing).
 - Review wildfire smoke exposure leading up to symptoms.
 - Follow local agency and cooperator guidelines for notification procedures.
 - Consider using a text alert system to notify personnel who have had possible contact with an infected person.
 - Decontaminate equipment, including vehicles, used by infected individuals. Recognize that proper PPE use for COVID-19 decontamination requires training by an experienced instructor.
 - Options for contaminated facilities include (1) time: close affected facility for 7 days to allow any virus to attenuate naturally, (2) use of a qualified contractor to clean facility, (3) use of a pre-identified, specially trained team of local agency personnel to decontaminate facility.

- Recovery
 - Follow CDC, local health authority, or attending physician guidelines for recovery.
 - Maintain regular phone contact with recovering individuals.
 - Return to service following recovery, but do not assume a recovered individual is immune to the virus.
 - Returning-to-service employees will continue to follow all guidelines.

- Contingency planning
 - Determine and monitor availability of COVID-19 testing kits.
 - Determine and communicate state and local guidelines for testing personnel.
 - Determine and acquire a supply of approved products for use in decontamination/sanitation of equipment. [CDC](#)

Appendix B – Best Management Practices - Outline

1. Coordinating Group
 - a. [Mobilization Operations](#) (GACC/Dispatch)
 - b. [Cache Operations](#)
 - c. [Local Government, Contractor, International, Military Support](#)
2. Module Level
 - a. [Fixed-Wing Operations](#) (SMKJ, Air Attack, LP, AT)
 - b. [All Rotor-Wing Operations](#) (Helicopters)
 - c. [Airbase/Helibase Operations](#) (SMKJ Base, Air Attack Base, Reload Base)
 - d. [Rolling/Floating Stock Operations](#) (Engine, WTs, Heavy Equip., Boat, Prev./Patrol)
 - e. [Crew Operations](#) (IHC, T1, T2IA, T2, IA, Fire Module)
3. Initial [Attack](#)
4. Extended Attack/Complex Incident
 - a. [Operations](#)
 - b. Logistics Function
 1. [Ground Support](#)
 2. [Supply](#)
 3. [Security](#)
 4. [Medical](#)
 5. [Communication/IT](#)
 6. [Food](#)
 7. [Facilities](#)
 - c. [Planning Section](#)
 - d. [Finance Section](#)
 - e. [Fire Information](#)
 - f. [Safety](#)
 - g. [Liaison](#)
 - h. [Incident Commander](#)
5. Management Practices
 - a. [Agency Administrator](#)
 - b. [Fire Management](#)

Mobilization Operations

(GACC/Dispatch)

Pre-planning and preparation are very important for identifying and responding to infectious diseases during wildfire response activities. The Center Managers need to consider how best to decrease the spread of illness and lower the impact of an outbreak during a wildfire response. Identify infectious disease outbreak plans as part of the COOP and clearly identify and communicate objectives. As the COVID-19 Pandemic continues, GACC, Dispatch Center Managers, and support personnel will be challenged to remain healthy and viable to continue the fire suppression mission.

Prevention

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Know where to find local information on COVID-19 and local trends of COVID-19 cases.
- Know and understand the signs and symptoms of COVID-19 and what to do if any staff becomes symptomatic at the worksite.

Incident Response

- Encourage staff to telework (VoIP for example) if possible, particularly individuals at increased risk.
- Utilize video and tele-conferencing applications, texting, or radio.
- Stress importance of frequently disinfecting commonly touched things, doorknobs, light switches, telephone receivers, etc.
- Have a pool of backup dispatchers/support personnel in case an employee or a family member gets sick and they have to stay home. This may be hard to do.
- Utilize a pre-mobilization checklist.
- Provide COVID-19 exposure mitigation packet to resources being mobilized.
- Mobilize only required resources in smaller numbers (Squads in place of 20 per crews).
- Plan transportation guidance for mobilizing resources to and from an incident.
- Consider mobilizing Interagency Resource Representative that is trained and experienced in exposure response and transportation requirements.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.

Updated: 4/23/2020

Back to [Appendix B Outline](#)

Cache Operations

This document is intended as a tool for extended attack/complex wildland fire response for the cache system when preparing to support incidents during the ongoing COVID-19 pandemic. The following guidelines were developed based on the best advice in April 2020. As the situation develops and more information becomes available, these guidelines should be updated.

The Alaskan Wildland Fire Supply Caches consist of three main facilities: Federal (AKK) in Fairbanks, the State Cache (AKS) also in Fairbanks and a State Cache in Palmer (AK-PAS). Due to the remoteness of Alaska, there is even more potential of supply chain disruption and therefore more urgency to stockpile supplies to support incidents.

Prevention

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Follow CDC recommendations on personal hygiene and self-care. Implement the *Wildland Fire COVID-19 Screening Tool* daily ([Appendix C](#)).
- Develop daily pre-entry screening.
- Work virtually as practical.
- Consider supporting remote incidents from a central warehouse location to reduce stockpiling and decrease the footprint at remote sites.
- Utilize CDC guidance for cleaning within the facility and equipment each day.
<https://www.cdc.gov/coronavirus/2019-ncov/infection-control/control-recommendations.html>
- Plan to have ample COVID-19 PPE on hand to use for an extended period. Refer to the CDC link for recommendations. The National Incident Support Cache System (NISC) is procuring additional PPE and other essential items, e.g. Bath-in-a-Bag and cleaning supplies which should aid Alaska in increasing their inventories. See NWCG correspondence 2020-013.
- Develop an incident within an incident (IWI) plan for exposure possibility.
- Arrange for decontamination of returned goods separate from the main cache.
- Develop a flow chart for surface decontamination time frames and establish categories of goods and decontamination procedures.
- Consider ordering heavily for anticipated activity early. Some items already in the pipeline include MREs, NFES 1660, NFES 1675 individual and multi-person Biological Hazard Protection Kits, etc.
- Consider the viability of scheduling overlapping or non-traditional shifts to keep incident support going but reducing the number of personnel on-shift at the same time.

Incident Response

- Incorporate recommendations from the National Incident Support Cache (NISC) Risk Assessment Working Group as they are developed.
- Develop a method (hiring process) for replacement of afflicted personnel.
- Consider all returned cache items as being exposed to COVID-19. Prepare for enhanced decontamination standards and PPE. This may include alternative facilities to accommodate additional space needs and holding of equipment suspected of contamination in a secure location for a prescribed amount of time to reduce virus survival.

- Adjust minimum stocking/reorder trigger points to accommodate for backorder and longer lead times for delivery of critical items.
- Review Infectious Disease Guidance for Wildland Fire Incidents, NWCG Emergency Medical Committee. It contains further references and advice.
- The Medical Public Health Advisory Team, chartered by the Fire Management Board, is continuing to develop specific guidelines on wildland fire and cache system practices.
- For outside deliveries, consider a supply and delivery protocol to reduce handling and face-to-face interaction.
- Ensure drivers and materials handlers implement CDC recommended sanitizing practices for vehicles and equipment.
- Define additional sanitary areas that may be needed to accommodate personnel cleanliness.
- Determine capabilities of stocking non-traditional items.
- Determine what state and local restrictions/closures may have on delivery items.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan and practice regularly.
- Develop incident support contingency plan if supporting cache facility must be temporarily closed and quarantined for confirmed COVID-19 cases.
- Implement incident within an incident plan (IWI) for known exposure and track to conclusion.

Updated: 4/23/2020

Back to [Appendix B Outline](#)

Cooperator Response

(Local Government/Contractor/International Support/Military Support)

COVID-19 adds a significant layer of complexity that directly impacts all cooperators' ability to respond to wildfires. Impacts include, but are not limited to travel restrictions between states, canceled gatherings for training and strategic planning meetings, fewer personnel available to respond due to illness or quarantine, lack of fuels management activities due to burn bans and shelter in place orders, and other factors. These factors require fire managers and programs at all levels to consider innovative ways to protect the public from wildland fires while also protecting their firefighters from being exposed to, or inadvertently spreading COVID-19. Suggested best practices for more tactical aspects of wildfire response are available in the other appendices. While by no means comprehensive, this document is intended to be used as a tool to support wildland fire response during the ongoing COVID-19 Pandemic. As the situation evolves and more information becomes available, these guidelines should be periodically updated.

Prevention

Best practices to prevent exposure for personnel:

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Using CDC and State Health Authorities guidelines, develop and utilize COVID-19 avoidance procedures for staff and resources.
- Consider utilizing the *Wildland Fire COVID-19 Screening Tool* ([Appendix C](#)) or other CDC daily self-checks.
- Reduce exposure by conducting as much work (briefings/meetings/gatherings) as technology allows virtually or remotely.

Incident Response

Best practices planning for and during a wildfire response:

- Minimization of COVID-19 exposure risk to fire personnel and the public should be a priority during fire management decision making:
 - Consider wildfire smoke impacts to firefighters and the public in the context of COVID-19.
 - Consider a full spectrum of strategic response options ranging from allowing remote fires to burn based on values to be protected and higher priority wildland fires to rapid suppression during IA to limit fire sizes and numbers.
 - Consider increased use of aircraft and heavy equipment to keep fires small and minimize numbers of responding personnel.
 - Make efforts to ensure that all cooperators and contractors understand the respective jurisdictional agency's COVID-19 wildfire response protocols.
- State and federal agencies should consider sharing and/or streamlining procedures and protocols for ordering cooperating agency aircraft when aggressive response is warranted.
- Consider activating the AK MAC Group earlier due to resource shortage created by COVID-19 conditions and evaluate MAC support being performed through virtual/ remote means.
- The AK MAC group should consider COVID-19 conditions in determining Preparedness/Planning Levels and incident prioritization process.

- States should consider earlier activation of National Guard resources, including aircraft due to fire activity and resource shortages.
- Unique challenges with COVID-19 management may be associated to fires burning on the international border with Canada. Agencies with jurisdiction along that border should review response plans and agreements to establish specific direction.
- If commuting back and forth from home bases is essential, cooperators should continue to maintain COVID-19 mitigation measures.

Exposure Response

Best practices in the event of a presumptive exposure:

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.

Updated:4/22/2020

Back to [Appendix B Outline](#)

All Fixed-Wing Aviation

This section is Best Practices for all fixed-wing module level operations for agencies involved in aerial fire suppression.

Prevention

- Refer to *All Fire Personnel Best Practices* ([Appendix A](#)).
- All personnel implement the *Wildland Fire COVID-19 Screening Tool* ([Appendix C](#)) or a personal health wellness checklist prior to incident response.
- Utilize virtual briefings when able to minimize person to person contact and groups (e.g. utilize a regional daily aviation briefing call for all initial attack aviation resources and bases).
- During periods of standby and extended standby, allow flight crews to isolate themselves in quarters and respond directly to aircraft with minimal person-to-person contact with public and base personnel.
- Program managers and contractors are encouraged to create schedules to minimize aircrew rotations including eliminating 7-day coverage and having flight crews take the same days off. Establish aircrew modules and restrict exposure to individuals outside your module.
- Airbase, flight crews, and/or contractors may implement a daily log or checklist for aircrew health status.
- Restrict access to each aircraft to essential personnel only.
- Ensure aircrews have access to correct cleaning supplies. Use of shared equipment should be minimized and cleaned before and after utilization.
- Consider multiple locations for aircraft placement to spread out resources and minimize large group gatherings of incident and aircrew personnel.
- IMTs and fire managers should consider reducing staffing numbers when approved and applicable such as: a) Request waiver for management of 4 SEATs via one SEMG or ATBM. b) Expect to utilize and provide pre-approvals for extension of personnel to 21 days.
- Evaluate allowing vendors to stage at their home base with an approved delayed response time. Any mitigating steps that may change the contract specifications will require contracting officer coordination.
- Pre and Post flight the pilot/flight crew and maintenance should follow [FAA/CDC/GSA/OEM](#) guidance to decontaminate the aircraft interior including handles, interior seating, seat harnesses and the cockpit.
- Consider twice daily temperature checks until testing is available.
- Wear cloth face mask when social distancing cannot be met or when public setting cannot be avoided.
- Ensure aircrews have adequate stand by facilities.
- Consider increasing the use of UAS to mitigate the exposure risk to aviation personnel when it is appropriate and available.
- When able, utilize passenger screening for symptoms of illness when personnel, equipment and time permit. This can include health questions, observations and taking an individual's temperature.

Incident Response

- Aircraft Dispatch Forms to be delivered to all resources electronically instead of person-to-person. Utilize virtual briefings and debriefings when applicable.
- Allow flight crews, dispatch centers, and base personnel to assess locations for adequate lodging and meals prior to changing locations of aircrews to recover overnight.
- Utilize COVID-19 dashboards for risk based and incident response decisions.
- Flight crews may return overnight to the same location to minimize exposure. Return aircrews to assigned base at end of shift daily.
- Minimize transporting non-essential personnel.
- Clean each aircraft between flights in accordance to [FAA/CDC/GSA/OEM](#) guidance and direction.
- Ensure communications and network capabilities are adequate for increased need. Leverage FirstNet offerings. Contact local providers in advance to ensure availability.
- Identify facility and aircraft parking in advance of receiving. Consider utilizing multiple bases even if other bases are farther from the incident to mitigate large crowds.

Exposure Response

- Due to the dynamic situation of the COVID-19 pandemic, airbase operations at times may not meet policy requirements. In these cases, prior to the deviation, it will be reported to supervisors who in conjunction with aviation managers will analyze the risk and determine if the operation should continue.
- Airbases may be unstaffed or closed due to COVID-19 activity.
- Isolate aircraft and personnel away from active operations and other personnel.
- If aircraft flight crew or a passenger show symptom of COVID-19, place aircraft out of service until properly decontaminated per [FAA/CDC/GSA/OEM](#) guidance as applicable.
- Implement team or local unit exposure response plan. Consider having a local BPA for decontamination services. Contact maintenance inspector after proper decontamination of the aircraft. Contact contracting officer/agency for further guidance.
- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>

Updated:4/22/2020

Back to [Appendix B Outline](#)

Rotor-Wing Operations

This section is Best Practices for all rotor-wing module operations for all agencies involved in aerial fire suppression.

Prevention

- Refer to *All Fire Personnel Best Practices* ([Appendix A](#)).
- Utilize virtual briefings when able to minimize person to person contact and groups (e.g. utilize a regional daily aviation briefing call for all initial attack aviation resources and bases).
- During periods of standby and extended standby, allow flight crews to isolate themselves in quarters and respond directly to aircraft with minimal person-to-person contact with public and base personnel.
- Program managers and contractors are encouraged to create schedules to minimize aircrew rotations including eliminating 7-day coverage and having flight crews take the same days off. Establish aircrew modules and restrict exposure to individuals outside your module.
- Airbase, flight crews, and/or contractors may implement a daily log or checklist for aircrew health status.
- Restrict access to each aircraft to essential personnel.
- Consider multiple locations for aircraft placement in an effort to spread out resources and minimize large group gatherings of incident and aircrew personnel.
- IMTs and fire managers should consider reducing staffing numbers when approved and applicable such as:
 - Requesting 2 for 1 helicopter management (restricted/limited) helicopters.
 - Expect to utilize and provide pre-approvals for extension of personnel to 21 days.
- Evaluate allowing vendors to stage at their home base with an approved delayed response time. Any mitigating steps that may change the contract specifications will require contracting officer coordination.
- Pre and post flight, pilot/flight crew and maintenance should follow [FAA/CDC/GSA/OEM](#) guidance to decontaminate the aircraft interior including handles, interior seating, seat harnesses and the cockpit.
- All personnel implement the *Wildland Fire COVID-19 Screening Tool* daily ([Appendix C](#)) or personal health wellness checklist prior to incident response.
- Ensure aircrews have adequate stand by facilities.
- Consider increasing the use of UAS to mitigate the exposure risk to aviation personnel when it is appropriate and available.
- When able, utilize passenger screening for symptoms of illness when personnel, equipment and time permit. This can include health questions, observations and taking an individual's temperature.

Incident Response

- Aircraft Dispatch Forms to be delivered to all resources electronically instead of person-to-person.
- Allow flight crews, dispatch centers, and base personnel to assess locations for adequate lodging and meals prior to changing locations of aircrews to recover overnight.
- Flight crews may return overnight to the same location to minimize exposure.

- Minimize transporting non-essential personnel.
- Clean each aircraft between flights in accordance to FAA direction.
- Pilot and mechanic should decontaminate interior and exterior of the aircraft between missions per [FAA/CDC/GSA/OEM](#) guidance.

Exposure Response

- Due to the dynamic situation of the COVID-19 pandemic, airbase operations at times may not meet policy requirements. In these cases, prior to the deviation, it will be reported to supervisors who in conjunction with aviation managers will analyze the risk and determine if the operation should continue.
- Airbases may be unstaffed or closed due to COVID-19 activity.
- Isolate aircraft and personnel away from active operations and other personnel.
- If aircraft flight crew or a passenger show symptom of COVID-19, place aircraft out of service until properly decontaminated per [FAA/CDC/GSA/OEM](#) guidance as applicable.
- Implement team or local unit exposure response plan. Consider having a local BPA for decontamination services. Contact maintenance inspector after proper decontamination of the aircraft. Contact contracting officer/agency for further guidance.
- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>

Updated:4/22/2020

Back to [Appendix B Outline](#)

All Airbase/Helibase Operations

This section is Best Practices for all airbase/helibase module operations for all agencies involved in aerial fire suppression.

Prevention

- Refer to *All Fire Personnel Best Practices* ([Appendix A](#)).
- All personnel implement the *Wildland Fire COVID-19 Screening Tool* ([Appendix C](#)) or a personal health wellness checklist prior to incident response.
- Utilize virtual briefings when able to minimize person to person contact and groups (e.g. utilize a regional daily aviation briefing call for all initial attack aviation resources and bases).
- Staff base with minimal personnel for appropriate time frames during standby periods allowing base personnel to work and respond from quarters.
- Airbase, flight crews, and/or contractors may implement a daily log or checklist for aircrew health status.
- Restrict access to each aircraft to essential personnel.
- Use of shared equipment should be minimized and cleaned before and after utilization.
- Consider multiple locations for aircraft placement in an effort to spread out resources and minimize large group gatherings of incident and aircrew personnel.
- IMTs and fire managers should consider reducing staffing numbers when approved and applicable such as:
 - Requesting 2 for 1 helicopter management (restricted / limited) helicopters.
 - Request waiver for management of 4 SEATs via one SEMG or ATBM.
 - Expect to utilize and provide pre-approvals for extension of personnel to 21 days.
- Evaluate allowing vendors to stage at their home base with an approved delayed response time. Any mitigating steps that may change the contract specifications will require contracting officer coordination.
- Follow [FAA/CDC/GSA/OEM](#) disinfection guidance after each flight or after maintenance work.
- Pre and Post flight the pilot/flight crew and maintenance should follow [FAA/CDC/GSA/OEM](#) guidance to decontaminate the aircraft interior including handles, interior seating, seat harnesses and the cockpit.
- Ensure aircrews have adequate stand by facilities. Airbases should identify the number of resources that can be staged at existing facilities to maintain social distancing and separation.
- When social distancing/separation cannot be maintained utilize alternate locations on the airfield or adjacent airports to stage aircraft and crews.
- Assign retardant loaders to individual pits for the shift duration to limit hose and nozzle contacts.

Incident Response

- Aircraft Dispatch Forms to be delivered to all resources electronically instead of person-to-person.
- Allow flight crews, dispatch centers, and base personnel to assess locations for adequate lodging and meals prior to changing locations of aircrews to recover overnight.
- Utilize COVID-19 dashboards for risk based and incident response decisions.
- Minimize transporting non-essential personnel.

- Clean each aircraft between flights in accordance to [FAA/CDC/GSA/OEM](#) guidance and direction.
- Ensure communications and network capabilities are adequate for increased need. Leverage FirstNet offerings. Contact local providers in advance to ensure availability.
- Identify facility and aircraft parking in advance of receiving. Consider utilizing multiple bases even if other bases are farther from the incident to mitigate large crowds.
- Flight crews may return overnight to the same location to minimize exposure.
- Base personnel and flight crews should become familiar with FBO's COVID-19 Plan.

Exposure Response

- Due to dynamic situation of COVID-19 pandemic, airbase operations at times may not meet policy requirements. In these cases, prior to the deviation, it will be reported to supervisors who in conjunction with aviation managers will analyze the risk and determine if the operation should continue.
- Airbases may be unstaffed or closed due to COVID-19 activity.
- If aircraft flight crew or a passenger show symptom of COVID-19, place aircraft out of service until properly decontaminated per [FAA/CDC/GSA/OEM](#) guidance.
- Implement team or local unit exposure response plan. Consider having a local BPA for decontamination services. Contact maintenance inspector after properly decontamination of the aircraft. Contact contracting officer/agency for further guidance.
- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>

Updated: 4/22/2020

Back to [Appendix B Outline](#)

Rolling/Floating Stock Operations

(Prevention/Patrols, Engine, Water Tender, Heavy Equipment, Boats)

Expect change in how business is conducted. Strategic thinking and tactical planning in conjunction with how information is shared across the landscape will take on new looks. Patience will be a virtue as time frames and methods take on new dimensions.

Prevention

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Continue to monitor and follow Centers for Disease Control and Prevention (CDC) recommendations and local health department or agency guidance and prescribed practices.
- Ensure that boats, vehicles, and equipment are fully stocked with disinfecting wipes, hand sanitizers and soap.
- To maintain health and reduce risks of exposure, utilize EFF crew modules and operators from the same village.
- Stress off duty responsibility in protecting themselves and their crew from exposure.

Incident Response

- Weigh the risk of responding in multiple vehicles.
- Screen all personnel for symptoms of COVID-19 prior to mobilization. Implement the *Wildland Fire COVID-19 Screening Tool* daily ([Appendix C](#)).
- Be self-sufficient for duration of travel to and from incidents (food, hydration, lodging) avoiding local or village populations. Use protective measures at fueling stops, rest areas, villages and other necessary business areas.
- While in transit wear protective masks and set vehicle ventilation to outside air mode.
- Sanitize boats, vehicles, and equipment including personal floatation devices at the end of each use or operational period. Have established protocols for cleaning and sanitizing.
- During tactical operations or staging, maintain separation from other resources as much as possible. Avoid sharing tools, water, radios, etc.
- Rely on electronic communication in place of face to face with overhead and adjacent resources; establish positive communication with heavy equipment operators and overhead that maintains personal distancing.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.

[Back to Appendix B Outline](#)

Updated:4/22/2020

Crew Operations

(IHC, T1, T2IA, T2, WFM, I.A.)

The need to maintain the health and safety of crew modules during any type of illness episode is critical to maintaining a viable incident response. The COVID-19 disease has exponentially increased this challenge. The following Best Management Practices provide some guidance to avoid exposure and contain possible infection. Some are practical common-sense measures, and some will challenge usual crew cohesion activities.

Prevention

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Continue to monitor and follow the Centers for Disease Control and Prevention (CDC) recommendations and local health department or agency guidance and prescribed practices.
- To maintain the health and reduce risks of exposure, maintain crew modules as individual units.
- Utilize smaller EFF crews to avoid mixing personnel from separate villages.
- Do not backfill or temporarily assign personnel to a crew unless tested for COVID-19 (when adequate testing is available).
- Control access of non-crew personnel to facilities, vehicles and equipment.
- Evaluate the risk of driving additional vehicles, if reducing the number of passengers to create separation (i.e. 4 people in a 6-passenger vehicle).
- Wear face masks when riding in vehicle cabs or aircraft cabins.
- Frequently (daily or after each use) sanitize all equipment and vehicles to reduce possible virus contamination.

Incident Response

- Screen all crew members for symptoms of COVID-19 prior to mobilization utilizing the *Wildland Fire COVID-19 Screening Tool* ([Appendix C](#)).
- Be self-sufficient for duration of travel to and from incidents (food, hydration, lodging) to avoid exposure to the general population. Use protective measures at fueling stops, rest areas, and other business areas.
- At incident, maintain appropriate personal distance; minimize personnel involved in check-in and at briefings. Utilize separation from other resources in sleeping areas, food service, supply, staging and other areas of typical congregation.
- During tactical operations maintain separation from other resources as much as possible. Maintain personal spacing within crew and avoid sharing tools, water, radios, etc. Rely on electronic communication in place of face to face with overhead and adjacent resources.
- Be cognizant of maintaining personal hygiene throughout the operational period. Allow time for washing and sanitation.
- Expect change in how business is conducted, communication methods, and implementation of tactical plans. Time frames and methods will be different. Exercise patience and maintain vigilance towards crew member health.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.

Back to [Appendix B Outline](#)

Updated: 4/22/2020

Initial Attack Operations

This document is intended to be used as a tool for initial attack wildland fire response in the Alaska Area during the ongoing COVID-19 Pandemic. The following guidelines were developed based on the advice of health and safety authorities in April of 2020.

Prevention

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Screen all personnel for symptoms of COVID-19 prior to mobilization. Implement the *Wildland Fire COVID-19 Screening Tool* daily ([Appendix C](#)).
- Establish COVID-19 operating standards with mutual aid response resources.
- Depending on your mode of transportation, ensure it is fully stocked with disinfecting wipes, hand sanitizers and soap.
- Don't share PPE, flight helmets, radios, gloves etc.
- While in transit wear protective masks and set vehicle ventilation to outside air mode.
- Continue to monitor and follow the Centers for Disease Control and Prevention (CDC) recommendations, local health department or agency guidance and prescribed practices.
- Stress COVID-19 mitigation in briefings and safety messages when utilizing EFF and contract crews.

Incident Response

- Weigh the risk of close contact during transit to fire locations and take actions as appropriate to mitigate.
- IA briefing needs to maintain social distancing and be limited to key overhead personnel.
- Decentralize staging areas, especially ones near village airstrips.
- Maintain a high level of crew self-sufficiency (water, food, equipment, etc.).
- Consider use of heavy equipment/aircraft that may reduce the number of personnel needed.
 - Evaluate mop-up standards, reduce close interpersonal contact and smoke exposure, and place emphasis on use of technology to get into monitor status.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.

Updated: 4/21/2020

Back to [Appendix B Outline](#)

Operations

COVID-19 will change how incident operations are conducted and will challenge communications in tactical operations and within incident management organizations. Expect less resource availability, longer response times, and delayed logistical support. While the safety and health of fire responders has always been paramount the risk management equation is becoming much more complex. Separation, sanitation, and screening are the key elements of maintaining the health of personnel and the public.

Prevention

- Each individual needs to follow guidance in the *All Fire Personnel Best Practices* ([Appendix A](#)) at station, home, and in off duty activities.
- Utilize virtual methods of communication (smart phone, radio, internet) as much as possible to avoid inadvertent physical contact during incident processes.
- Ensure EFF crews, contract crews and local hires are thoroughly briefed on COVID-19 mitigation practices and provided necessary PPE and sanitation supplies.
- Assemble, or order, Lower 48 resources in a division configuration. Maintain the resources as a single unit for the duration of the Alaska assignment.
- Locate spike camps, forward operating bases, and staging areas separate from villages, communities, and inhabited cabins.
- Isolate airstrip operations/staging areas from general civilian operations.
- Practice respectful physical distancing when interfacing with local officials and the public.

Incident Response

- Conduct frequently *Wildland Fire COVID-19 Screening Tool* assessments ([Appendix C](#)) prior to mobilization and throughout incident assignment.
- Be self-sufficient for duration of travel to and from incidents (food, hydration, lodging) and initial operational periods of the incident.
- Establish Command and Control communication protocols utilizing methods consistent with COVID-19 mitigation measures.
- Use incident established procedures (electronic methods or personal distancing standards) to provide intelligence, conduct planning processes, briefings and other administrative business.
- Apply available reconnaissance technology (UAS, satellite, MMA) to reduce personnel numbers and close quarters environments such as aircraft cabins.
- Develop and prioritize tactical missions based on Values at Risk and COVID-19 risk to responders.
- Utilize fewest resources necessary to accomplish mission and minimize exposure to disease spread.
- Maintain separation of suppression modules on the fire line and during off shift periods. Consider staggering resource shifts to avoid congestion points.
- During plan development, factor in additional time for resources to accomplish COVID-19 mitigation measures and adjust shift lengths to provide adequate rest.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.

Back to [Appendix B Outline](#)

Updated: 4/23/2020

This Page Intentionally Left Blank

Ground Support

Recognizing that Alaska relies more on aerial delivery than traditional ground support using vehicles, these best management practices may be more suited to what Alaska refers to as “Roadside Fires”. Even so, these practices would apply to the use of vehicles to transport goods and supplies from warehouses to aerial platforms for further delivery to dispersed or remote sites/camps. The following guidelines were developed based on the advice of health and safety authorities in April of 2020. As the situation develops and more information becomes available, these guidelines should be periodically updated.

Prevention

Best practices to prevent exposure:

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Use proper PPE when handling materials, doing inspections, making repairs, etc.
- Restrict non-Unit access to work areas.
- When possible, use electronic methods to manage workflow such as inspections, repair, etc.

Incident Response

- Follow Travel guidelines while enroute ([Appendix A](#)).
- Conduct daily checklists ([Appendix C](#)) while maintaining proper social distancing.
- Set up work area to provide social distancing while maintaining Unit continuity.
- Anticipate ordering additional resources such as rental vehicles, drivers, etc. to maintain social distancing guidelines and to have “clean” resources available for immediate assignment.
- Order enough supplies to support extra cleaning/disinfecting.
- Establish procedures to minimize driver handling of supplies and backhaul.
- Clean/disinfect vehicles after each use, including returned rental vehicles prior to reassignment. Key high touch areas to clean/disinfect include the dashboard, instrument panel, steering column, wheel, accessory panel, center console, cup holders, compartments, seats, between console and seats, between doorjamb and seats, door and door pockets, interior/exterior door handles, rear view mirror and seat belt buckles. Refer to the NERV website for further information.
- Confirm that passengers being transported are free of possible symptoms. Avoid handling passenger personal items such as line gear, luggage, etc.

Exposure Response

- Follow the most current direction from the Center of Disease Control and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.

Updated: 4/25/2020

Back to [Appendix B Outline](#)

Supply Unit

This document is intended to be used as a tool for extended attack/complex wildland fire response for a Supply Unit during the ongoing COVID-19 Pandemic. As the situation develops new information will become available. These guidelines should be reviewed and updated. Incidents in Alaska will require close coordination with the Alaska Caches in order to be successful.

Prevention

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Implement the *Wildland Fire COVID-19 Screening Tool* daily ([Appendix C](#)).
- Develop a Supply Unit Incident Within an Incident (IWI) COVID-19 protocol for the Unit.
- Follow CDC guidelines for cleaning all work surfaces, tools, vehicles, and equipment.
- Review direction from the NWCG Emergency Medical Committee that has been developed for the wildland environment <https://www.nwcg.gov/emergency-medical-committees/infectious-diseases-guidelines>.
- Arrange for additional unit-dedicated sanitation facilities and support.
- Consider more area for issuing and returns to maintain social distancing practices.
- Be informed of the National Incident Support Cache (NISC) Risk Assessment Working Group advice on cache returns and decontamination.

Incident Response

Due to unknowns surrounding contamination of goods, there is a need for even closer communication with caches on receiving and returning items and direction on measures that may need to take place before returning items to the caches.

- Plan for enhanced PPE and distancing which will require additional space.
- Practice virtual workplace as practical. Limit contact with “customers”.
- Develop a virtual ordering system that, if possible, carries through from the individual making the order to the Supply Unit Leader/Ordering Manager and back to receipt by the individual placing the order.
- Anticipate longer delivery times, whether from the Cache or local purchase. Work within the team to have contingency plans in place when supplies are not available or have extended delivery times.
- Establish practical expectations with the Operations Section. Request they plan further ahead so the supply chain can accommodate them.
- Establish decontamination practices/sanitizing requirements for all cache items to be returned. This may require holding equipment suspected of contamination in a secure location for a prescribed amount of time to reduce virus survival.
- If possible, consider placing Ordering in a separate location.
- Be aware of your location, known medical supplies, feeding capability and/or methods and the implications on the supply unit.
- The Medical Public Health Advisory Team, chartered by the Fire Management Board, is continuing to develop specific guidelines on wildland fire and cache system practices.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.
- Consider a known exposure or positive screening as an incident within an incident (IWI).

Back to [Appendix B Outline](#)

Updated: 4/23/2020

Security Manager

This document is intended to be used as a tool for extended attack/complex wildland fire response for the Security function during the ongoing COVID-19 Pandemic. As the situation develops and more information becomes available, these guidelines may be periodically updated.

Prevention

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Develop a Security “Incident within an Incident” prior to assignments.
- Determine if the ICP/Base is to be in or near a security high-risk area.
- Establish daily/shift self-checks for all Security Unit staff. Refer to the *Wildland Fire COVID-19 Screening Tool* ([Appendix C](#)).
- If possible, establish virtual staff meetings and interview methods especially where there are remote locations involved.

Incident Response

- Restrict access to all Incident facilities.
- If check-in testing protocols are to be initiated work with the Medical Unit Leader (MEDL) and Facility Unit Leader (FACL) to establish testing areas and procedures.
- Work with Ground Support and Facilities to establish a one-way traffic pattern.
- Consider needed adjustment to staffing based on multiple camps.
- Be prepared to manage security needs for a bigger footprint at the Incident Base.
- Check with facilities for security needs for isolation/quarantine areas.
- Liaison with local law enforcement.
- Establish security protocols for very remote, dispersed incident operations.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.

Updated: 4/23/2020

Back to [Appendix B Outline](#)

Medical Unit

The following guidelines are developed based on the best advice in April 2020. Teams should expect different health department protocols as they accept assignments in various states and counties. As new information becomes available about COVID-19 these guidelines should be periodically updated. Team protocols should be developed with direction by agency and federal HIPAA requirements for those who have been exposed or have COVID-19. The areas of concern are protection of personnel from COVID-19, reducing the spread of the virus, and taking care of those who have been exposed or contracted the virus. The greatest threat will be personnel who have the virus but show no symptoms.

A suggestion has been made that the GACC form COVID-19 taskforces that could support IMTs, perhaps tapping into National Guard/Reserve units.

Assist with development of team protocols for personnel who have been exposed or afflicted with the COVID-19 virus.

Prevention

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Review the references above for guidance during incident response as well as prevention and self-care. Implement the *Wildland Fire COVID-19 Screening Tool* daily ([Appendix C](#)).
- Some Medical Unit personnel should expect to be isolated from other team personnel and located at remote sites, separated from ICP/Base.
- Have contingency plans in place; Medical Unit Leaders and medical personnel are expected to be in high demand. Explore the use of non-traditional avenues to fill some medical positions. Those with wilderness first responder training may be a resource.
- Recognize local medical response resources and facilities may not be available for incident support. Have contingency plans in place, perhaps on the PACE model.
- Control access to ICP/Base Camp. Implement medical screening prior to entry.
- Consider virtual work environment where feasible.
- The following body of reference material is available to review for response as well as prevention:
 - Infectious Disease Guidance for Wildland Fire Incidents, Emergency Medical Committee which steps down from CDC for best management practices in the wildland fire environment. <https://www.nwcg.gov/emergency-medical-committees/infectious-diseases-guidelines>.
 - Review the Infectious Disease Guidelines for Wildland Fire Incident Management Teams – This comes out of a specific event encountered on an incident. <https://www.nwcg.gov/sites/default/files/committee/docs/iems-infectious-diseases-guidelines.pdf>.
 - Review the [Health and Human Services EMS Infectious Disease Playbook](#). <https://www.ems.gov/pdf/ASPR-EMS-Infectious-Disease-Playbook-June-2017.pdf>.
 - Review supplemental direction forthcoming from the NWCG Emergency Medical Committee and the Medical Public Health Advisory Team.

Incident Response

- Prepare enhanced PPE and equipment.
- The concept of a Medical Liaison or Infectious Disease THSP (Technical Specialist) could be explored. Develop close working relationships with local health authorities and facilities. Inform them of the team arrival and numbers of individuals visiting their area of responsibility. Possibly consider alternative testing and treatment locations.
- Develop a Common Operating Picture of federal, state, county and local jurisdictions with response authorities, procedures and processes. This would include CDC recommendations and guidance down to local protocols, such as testing sites.
- Be aware that the NWCG Emergency Medical Committee continues to work on specific guidance in the wildland environment.
- IMTs should be prepared to establish four camp medical stations with appropriate staffing:
 - Station utilized for the typical illness/injuries associated with suppression work.
 - Station for COVID-19 triage.
 - Isolation area for those previously in contact with COVID-19.
 - Quarantine site for those with COVID-19.
- Identify alternative methods other than face to face or physical contact.
- Consult with the Medical and Public Health Advisory Team established by the Fire Management Board as needed for guidance.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.
- Consider known exposure, or response to exposure, or a positive test as an incident within an incident and monitor/track it to conclusion.
- Incident ambulances should comply with local health authority requirements and carry all necessary supplies to disinfect the ambulance and PPE necessary for COVID-19 transport.

Updated: 4/23/2020

Back to [Appendix B Outline](#)

Communications/IT

This document is intended to be used as a tool for extended attack/complex wildland fire response for the Communications/IT Units during the ongoing COVID-19 Pandemic. The following guidelines were developed based on the advice of health and safety authorities in April of 2020. As the situation develops and more information becomes available, these guidelines should be periodically updated.

Prevention

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Unit Leaders develop plans for effective use of communications and IT equipment. Consideration should be given whether some positions or tasks can be done virtually or off-site.
- Use established standards for receiving, cleaning, and returning radio kits, repeaters, IT Equipment, etc., using Cache and manufacturer's guidelines.
- Plan setup of equipment and work areas, and consider the use of over the air programming, to increase social distancing.
- Provide protocols and procedures to unit personnel to provide guidance in personal protection.
- Ensure an appropriate and adequate quantity supply of PPE for unit personnel.

Incident Response

- Implement the *Wildland Fire COVID-19 Screening Tool* daily ([Appendix C](#)) while maintaining proper social distancing.
- Establish procedures to reduce close contact with fire personnel in activities such as cloning (consider providing cloning instructions), issuing batteries, and issuing and returning radios.
- Consider modes of travel when setting up equipment sites for repeaters, etc. to maintain social distancing.
- Consider the use of storage devices such as assigned/non-returned USB drives to share information.
- Consider the use of software storage sites for collecting documents.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus/>
- Implement team or local unit exposure response plan.

Updated: 4/22/2020

Back to [Appendix B Outline](#)

Food Unit

Traditional use of National Mobile Food Service Units (Caterers) is not an option for Alaska. Food boxes will continue to be a main source of feeding. MREs with additional fresh fruit/vegetables and snacks such as those included with lunches may also be used.

Prevention

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Ensure food service contractors, caterers and vendors are implementing COVID-19 practices and following Health Department standards and guidelines.

Incident Response

- Implement increased sanitation around kitchens, dining area, and food storage areas.
- Discontinue use of any communal or other self-service food delivery in camps.
- When utilizing restaurants, ensure that they have facilities large enough to implement increased social distancing, or order take-out items.
- Implement staggered serving times and use of alternate serving methods to meet social distancing guidelines.
- Consider module/squad-sized feeding areas with smaller footprints to allow distancing.
- Maintain a minimum supply of 7 days of MREs and water.
- Designate one person to fill cubitainers and canteens from the potable water source.
- Do not re-use cubitainers.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.

Updated: 4/23/2020

Back to [Appendix B Outline](#)

Facilities Unit

Recognizing that many aspects of fire management are unique to Alaska, the following general guidelines should be considered when and where appropriate:

Prevention

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- ICP/Camp check in: An area should be established for pre-screening personnel and sanitizing of materials/equipment before entering camp(s).
- Consider a closed camp for roadside fires where a traditional ICP can be established working with Security to control flow.
- ICP/Camp: Consider social distancing needs. More areas including sleeping, feeding, medical, etc. will be needed for group/unit separation.
- Plan for dispersed and smaller module/squad-sized feeding areas to allow proper separation.
- All facilities should be laid out and to allow ease of cleaning, sanitizing, and social distancing.
- Work with Plans to lower the number of personnel. Those that can work virtually should do so.
- Limit operational period briefing attendance to crew supervisors and strike team leaders or consider radio briefings.
- More Porta-pots, hand wash stations, and trash collection equipment will be needed to accommodate larger camp footprint where a traditional ICP is appropriate and allow for group/unit separation.
- Establish extra cleaning protocols/frequency for wash areas.
- When mobilized and utilizing hotels the rooms will be sanitized initially, and housekeeping services reduced to that which is absolutely necessary.
- Provide sanitation facilities at remote bases/spikes.
- Increase number of staging areas to accomplish social distancing.
- Establish daily/shift self-checks for all Facilities Unit staff. Refer to the *Wildland Fire COVID-19 Screening Tool* ([Appendix C](#)).

Incident Response

- Additional medical units should be separated from each other and be located in a more remote area of the Incident Base Camp.
- An isolation/quarantine area should be established at the setup of camp to separate and care for the needs of any personnel exposed.
- Cleaning and sanitizing schedules need to be increased for all facilities. Proper training in procedures as well as handling and disposal of cleaning supplies should be done for all personnel involved. Proper PPE for specific assignments should be supplied and used.
- Consider the use of commercial cleaning/sanitizing services if and where available.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.

Updated: 4/23/2020

Back to [Appendix B Outline](#)

Planning Section

This document is intended to be used as a tool for extended attack/complex wildland fire response for a Plans Section Staff during the ongoing COVID-19 Pandemic. The following guidelines were developed based on the advice of health and safety authorities in April of 2020. As the situation develops and more information becomes available, these guidelines should be periodically updated.

Prevention

Best practices to prevent exposure:

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Develop and implement electronic communication and file sharing processes that work in an interagency/AD environment and allow for a Common Operating Picture within the Team between assignments. Ensure IMT accounts are valid and current.
- Identify opportunities for incident personnel to work virtually/remotely. Consider simulations testing remote activities, possibly engage IMTs, AAs, cooperators and partners to test and evaluate remote system technologies, processes and systems to be proficient remotely.
- Conduct and facilitate IMT video/virtual meetings & briefings using available technology.
- Develop processes to ensure that IMT Plans Kits and equipment are configured and distributed appropriately for a largely virtual workforce. Leverage the use of agency and personal computers while maintaining a sufficient inventory of rental laptops to support the IMT.
- Consider IMT roster configuration changes to support virtual functions and COVID-19 related concerns.
- Adjust standard initial orders to reflect changes in staffing and processes to include Technical Specialists (THSPs) and excess negotiated roster positions. Use Geographical Area resources when possible.
- Develop processes for managing an increased IT workload associated with additional virtual/electronic processes.
- Identify resources from non-standard sources that may be available for supporting IMT assignments.
- Be prepared to be self-sufficient for several days including potential remote/spike camp location.

Incident Response

Best practices during mobilization/at incident and through demobilization:

- Reduce exposure by conducting as much work (briefings/meetings/gatherings) as technology allows virtually or remotely.
- Adjust planning and meeting cycles to account for virtual non-standard processes and meeting formats.
- Ensure Planning Section staff are briefed regarding COVID-19 procedures and provide opportunities for concerns to be mitigated.
- Maintain contingency plans (PACE) in the event of technology failure. Coordinate with Logistics Section to establish and maintain incident bandwidth to support virtual functions.
- Consider the use of virtual trainers for trainees assigned to the incident.
- Conduct Check-In and Demobilization by electronic device, otherwise, limit exposure by maintaining social/physical distancing and have decontamination protocols in place.

- Utilize electronic applications for gathering, disseminating, and storing information. Ensure all IMT functions are aware of these applications.
- Develop and communicate electronic documentation processes.
- Implement the *Wildland Fire COVID-19 Screening Tool* daily ([Appendix C](#)).
- Ensure COVID-19 Prevention and Screening Protocols are in the Incident Action Plan (IAP) and COVID-19 is evaluated in the ICS-215A.
- Coordinate with the Medical Unit Leader (MEDL) to assure appropriate procedures are enacted as a standard part of the Demobilization process.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.

Updated: 4/21/2020

Back to [Appendix B Outline](#)

Finance Section

This document is intended to be used as a tool for extended attack/complex wildland fire response for Finance Section Staff during the ongoing COVID-19 Pandemic, to reduce exposure to Finance Section personnel. The following guidelines were developed based on the advice of health and safety authorities in April of 2020. As the situation develops and more information becomes available, these guidelines should be periodically updated.

- Incident Management Team (IMT) Finance Sections, Incident Business Advisor (INBA) and Buying Team will follow the guidelines for health and safety when interacting with incident personnel.
- Incident Finance Personnel will be defined as follows:
 - On Site – At Incident Command Post (ICP) or Base Camp.
 - Virtual – Working from any location outside the ICP/Base Camp.
 - Geographic Support – Support center established for Finance Section support.
- Make sure the technology is available to support the virtual environments.
- All incident agencies will provide legal acceptance of electronic signatures so Finance Sections can process documents with electronic imaging of signed documents.

Prevention

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Command and General Staff (C&G) need to have conversation with section personnel to gain understanding and knowledge of employee concerns, risks and/or ability to mobilize and communicate this to the Incident Commander.
- Routinely revisit risk analysis to balance mission essential functions with risk of exposure.
- Consider establishing large Geographic Support Units to provide virtual support to multiple incidents.
- Develop a protocol to handle a real Incident within an Incident (IWI) in a virtual environment.
- Home units to establish pre-season virtual/electronic procedures with clinics/hospitals/pharmacies and designate an on-unit person (i.e. Hospital Liaison, Fire Management Officer, etc.) to coordinate with geographical organization.

Incident Response

- Develop the protocol to work remotely to the maximum extent possible. Use social distancing within section (desk/people spacing, no sharing of office supplies). Utilize electronic documents to limit potential risk of exposure.
- Create C&G level protocol for information sharing and communicating, to maintain team cohesion.
- Consider using a combination of on-site and virtual settings to support the complexity of the incident.
- Develop a Primary Alternative Contingency Emergency (PACE) approach should issues arise with virtual/remote environments (i.e. internet connectivity).
- Take necessary precautions to comply with the Health Insurance Portability and Accountability Act (HIPAA) and protect Personally Identifiable Information (PII).
- Consider using technology to collect and disseminate finance documents electronically.

- Provide for modification of business practices to allow for electronic signatures and virtual exchange of information.
- Follow CDC guidelines for hygiene and spacing of on-site personnel.
- Consider on-site staffing to include a Finance Section Chief and a Finance Liaison (i.e. a qualified finance position with broad level knowledge) as designated by the Finance Section Chief for virtual support staff and incident response needs.
- Establish working relationships with incident personnel (such as Incident Business Advisor, Buying Team, Demob Unit Leader, Computer Tech Specialist, etc.) to ensure smooth communication of shared documents.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.
- Minimizing cross contamination of office supplies, financial documents, etc. between personnel.

Updated: 4/23/2020

Back to [Appendix B Outline](#)

Fire Information

Following are Best Management Practices for conducting the Public Information Function on wildland fire incidents given the current COVID-19 pandemic. All BMPs represent a distinct shift away from face-to-face engagement with the public and media.

The nature of the Fire Information function and its associated duties (at all complexity levels) lends itself nicely to implementation via virtual/remote means. A “skeleton” staff organization (i.e. Lead, Deputy, or Trainee) physically located at ICP or an office setting would coordinate with other on-site Command & General Staff functions and resources. Off-site support personnel can function efficiently through technology and electronic means, receiving real-time information, data, and maps from the Incident and disseminating it through a variety of methods.

Prevention

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Identify opportunities for personnel to work remotely/virtually. Ensure Public Information Officers (PIOs) have the technology, training and coordination to be effective and proficient. Practice and prepare to enhance knowledge and the skills necessary to efficiently conduct work off-site. Conduct as much work as possible virtually.
- Be prepared to be self-sufficient for several days, including potential remote/spike camp locations.
- Traditional preparedness activities like public presentations, information booths etc. will not be possible. Focus instead on Public Service Announcements (PSAs), e-traplines, and streamed video.

Incident Response

- Remote work assignments and virtual workspaces should be used as much as possible.
- Traditional activities like public presentations, information booths etc. may not be possible. Focus instead on AM/FM radio, daily fire information podcasts, extensive use of PSAs that focus on equity, diversity and inclusion, and streamed video.
- Media visits to ICP should not occur. Stock video tours, photos, and interviews should be provided to media using video uploads to YouTube or other virtual platforms. Utilize virtual platforms (e.g. Teams Event, WebEx) for media briefings or Q&A sessions.
- Media escorts to the fire line or to a viewpoint for video, interviews, etc. should only be allowed when it can be done according to COVID-19 CDC recommendations for physical distancing.
- Use existing systems to fullest extent such as Inciweb (<https://inciweb.nwcg.gov/>), social media, email publication tools, and the statewide blog <https://akfireinfo.com/>.
- Work with the community to determine access and equity concerns.
- Use existing email lists as much as possible to distribute daily updates. Reach out to traditional trapline locations such as stores and other public places to get them on email distribution lists. Seek out additional trapline locations that could enhance information dissemination.
- Coordinate COVID-19 messaging primarily with the host agency Public Affairs Officer. If this coordination is not possible, consult the tribal, borough or city public health department or equivalent. When applicable ensure fire messaging includes a COVID-19 message approved by

these entities. Of primary interest is the measures taken to prevent transmission between responders and the community.

- Conduct video/virtual public meetings using available technology. Agencies should make the investment to have the hardware, software, and bandwidth in place ahead of the need.
- Implement a strategy that utilizes a “skeleton” staff physically located at the incident, with support staff off-site. On-site PIO would coordinate with other functions and resources, funneling current information to the rest of the Info staff for dissemination. Good information regarding the “Forward Operating Base” is posted at https://www.nifc.gov/PIO_bb/whats_new.html.
- Leverage resources with cooperators and partners when looking outside the agencies for PIO skills to support efforts.
- Utilize portable info boards, in the form of an electronic community newsletter for dissemination of information to affected entities; enlist the cooperation of businesses or other establishments to adopt an information bulletin board to post maps and information (distributed by PIO via electronic means).
- Traditional fire information boards may still be necessary to reach people without internet access or comfort in using it. This can be at the IMT’s discretion in cooperation with the local Public Affairs Officer (PAO) and may include posting physical distancing guidelines on each board.
- Conduct video/virtual community information meetings using available technology. Ensure a consistent feedback loop for two-way communication with the community.
- Utilize VOST (Virtual Operations Support Team) for social media monitoring and transmission of approved messages.
- Information links. Many reference documents pertaining to virtual operations and best social media practices are collected on the NIFC website https://www.nifc.gov/PIO_bb/pio_main.html

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.
- Report any information gained from the community on known or suspected sources of exposure (within HIPAA constraints) to the Incident Commander (IC) and Medical Unit Leader (MEDL).

Updated: 4/23/2020

Back to [Appendix B Outline](#)

Safety

Fundamental approaches to safety and risk management on wildland fire incidents should still be applied in the COVID-19 environment, however, the circumstances surrounding virus transmittal and severity require a new filter be added to virtually every activity we perform. Careful analysis should be considered regarding exposure potential, preventative measures and environmental controls.

Prevention

This area includes best practices to prevent exposure for this group.

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Be familiar with sources of “best available information” regarding practices that reduce the risk of exposure or transmittal of COVID-19.
- Consider IMT staffing and tasking for managing COVID-19 in the fire response environment. It is recommended that a Medical Officer or Liaison be identified so this responsibility is not deferred to the Safety Officer.
- Review the [NWCG Infectious Disease Guidance](#) before deployments.
- Consider having an off-site (virtual) additional position serving in the safety function for complex incidents to ensure continuing operations functionality.
- Ensure personal protective and sanitization items are sufficient for the assignment.
- Plan for contingencies and emergencies where PPE and sanitization items may not be sufficient.
- Review normal position procedures and think in terms of what may need to be different in the pandemic environment.
- Maintain a list of COVID-19 SMEs and potential contacts for AK. This may include county and state public health agencies, hospitals, etc.
- Understand the risks or consequences that come with accepting assignments outside the local, state, or geographic area.

Incident Response

This area would include best practices during mobilization/at incident and through demobilization.

- Remain focused on identifying the hazards and risks associated to the wildland fire environment while filtering for likelihood of exposure or transmittal of COVID-19.
- Contact and utilize SMEs such as personnel from the county or state healthcare authorities to provide guidance on implementation of measures to reduce the risk of exposure or transmittal of COVID-19.
- Encourage practices recommended by the CDC or state or local health authorities for transmittal avoidance with a filter for what can be practically applied in the emergency response environment.
- Collaborate with the Medical Unit Leader to prioritize the incident needs for supplies and equipment related to transmittal avoidance or management.
- Ensure the incident medical plan (ICS-206) contains information related to responder direction for communicating and transporting COVID-19 suspected illness.
- Understand reporting requirements for suspected and confirmed COVID-19 illness.
- Engage with the Logistics Section regarding incident facilities, size, equipment needs and procedural adjustments necessary to enhance preventative measures.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan. When an Incident Management Team is assigned, the Incident Within an Incident (IWI) plan should address processes, protocols and assigned duties for exposure.
- If directed, conduct fact finding regarding potential origin or recent exposure of a suspected patient.
- Provide recommendation for quarantine and sanitization of possible host sites when the circumstances require follow-up.
- Produce information necessary for reporting purposes.
- If the on-site safety officer becomes exposed or infected, the off-site safety officer can ensure continuing operations.

Updated:4/19/2020

Back to [Appendix B Outline](#)

Liaison

This document is intended to be used as a tool for extended attack/complex wildland fire response for Liaison Officers during the ongoing COVID-19 Pandemic. The following guidelines were developed based on the advice of health and safety authorities in April of 2020. As the situation develops and more information becomes available, these guidelines should be periodically updated. Stay current on changing or updated COVID-19 safety protocols through your home agency or IMT Safety Officer.

When on an incident during a COVID-19 pandemic, the number of cooperators and assisting agencies may expand. Atypical agencies could include, Alaska Dept. of Health and Social Services, local hospitals and clinics, local city and/or borough public health officers, regional healthcare coalitions, local, borough or state Emergency Operations Centers (EOCs) and Multi-Agency Coordinators (MACs), some of which may never have encountered an Incident Management Team (IMT). This lack of experience with IMT's may require more mentoring with some cooperators than is usual. The Liaison might be the initial contact and a larger compliment of Liaison Officer's (or administrative support staff and communication tools) may be needed to facilitate and maintain all necessary relationships.

With respect to Alaska, large areas prone to large fire activity are very rural/remote with little or no road or communications infrastructure. Typically, rural schools are used to host IMT's since they are most likely to have some level of communication/internet infrastructure. However, early indications for the 2020 fire season is that those facilities may not be available. This would likely involve working in temporary or remote yurt type camp settings or having the ICP being long distances from where operations are being conducted. In addition, local communities, many of which are not typically exposed to viral health threats, are imposing strict orders related to entry and exiting their communities, further compounding working with leaders and local agencies or influential stakeholders in these local communities. Restrictions on access to remote communities continue to change so it is important to monitor these changes through appropriate IMT Command & General staff (C&G).

Given the potential exposure and spread of COVID-19 the intent is to adapt to a virtual work environment understanding that there will be variations to virtual work based on incident complexities and availability of technology between remote workers and relevant agencies/stakeholders. Extra diligence will be needed to ensure that relationships are established and maintained with all stakeholders and partners in a virtual environment.

Prevention

- Follow guidance included in the *All Fire Personnel Safety Best Practices* ([Appendix A](#)).
- Ensure you are properly equipped/trained to accept virtual assignments.
- Be prepared to be self-sufficient for several days including potential remote/spike camp locations, extra clothes, food, water, etc.

Incident Response

- When possible, avoid large fire camp configurations by working remotely/virtually.
- Utilize video/tele-conferencing and file sharing applications in order to have cooperator meetings and share information with participating agencies. This will require ensuring technology links are available to participating agencies.
- Consider recording presentations to deliver to stakeholders and partners in lieu of in person cooperator meetings.
- Practice social distancing or virtual Command & General Staff (C&G) Meetings.
- Consider use of additional Liaison Officers (LOFRs) and trainees to manage virtual work activities including assignment to other remote/virtual locations where direct linkage to the ICP is necessary, e.g., Emergency Operations Centers (EOCs), Command Centers, regional Multi-Agency Coordination Centers, Joint Field Office (JFO), etc.
- Should a LOFR(t) be assigned to a team, work with IC's to ensure a fully qualified LOFR is available to answer questions, provide advice and mentor the trainee during all phases of the assignment.
- Confirm with Logistics/Communications to determine any agency specific limitations or constraints on using particular virtual links, communications tools, programs or services prior to an assignment.
- If deemed necessary and essential to meet face to face, or have a meeting make sure participants have read and agreed to the preventative measures in [Appendix A](#) prior to the meeting.
- Local agencies managing the pandemic should be engaged as early as possible to discuss potential incident impacts on the community as a result of an IMT being assigned to an incident. If the incident necessitates, consider a Deputy Liaison to deal strictly with pandemic related issues. Ensure any LOFR assigned in this capacity works closely with Safety and Medical as appropriate.
- Initiate contact with state and local elected officials, municipal administrators, native organizations, tribal administrators, and other government agencies to identify issues related to COVID-19 within the response area.
- Initiate contact with local/borough/state law enforcement officials to assure relationship and contact information is completed for initiating the need for evacuations and re-population within the response area. Make sure the local/borough emergency management office is engaged in any discussions related to evacuation planning.
- Coordinate with the local military installation or base regarding existing or former training or other areas to mitigate potential hazards in the response area.
- Identify and establish relationships with cooperators including health departments and local EOC as appropriate and as requested/directed by the Incident Commander, Safety Officer, or Medical Unit Leader.
- Ensure telecommunication connectivity with the Incident Command Post (ICP).
- Work with the PIO to identify and utilize opportunities to share or leverage use of virtual or internet-based communications tools.
- Ensure assisting and cooperating agencies have a copy and understand the IMT COVID-19 protocols, best practices, and amended typical operational procedures.
- Assist Safety Officer and Medical Unit Leader to gain information regarding the capacity and integrity of the local and regional healthcare system(s).

- Assist Safety, Medical, Interagency Regional Representative (IARR), and home unit as requested when personnel assigned to the incident are treated for COVID-19. Reinforce that HIPAA and agency protocols related to confidentiality are followed.
- Work with the IC/C&G to exercise an IMT COVID-19 Response Plan to ensure a clear understanding of roles to address potential impacts to an IMT and ensure ability to continue support of IMT objectives and operations.
- Consider ordering a Liaison with FEMA's Emergency Support Function 8 (ESF8) experience.
- Consider ordering administrative support with a background in the use of virtual tools to aid in coordinating and implementing use (and troubleshooting) of remote access technologies between various cooperating and assisting agencies, as needed.
- Establish and utilize "land-line" phone access to all briefings open to assisting and cooperating agencies to accommodate participation by those with limited or no internet access that can reliably accommodate web or virtual meeting applications.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and state and local health authorities <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.

Updated: 4/22/2020

Back to [Appendix B Outline](#)

Incident Commander

Incident Commanders will be faced with managing response in a systematically different way in the COVID-19 environment. Minimizing exposure to personnel through maximizing who can work virtually and organizing in ways that avoid large populations of responders being in close proximity while ensuring communication of intent and direction are not compromised. IMTs will follow the most current and relevant direction from MPHAT (Medical Public Health Advisory Team).

Prevention

This area would include best practices to prevent exposure for this group.

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Review ICS functions on the Incident Management Team (IMT) to identify those essential to be on the incident, who can work from their home unit and those that can work off site in small groups in order to minimize exposure.
- Pre-identify IMT members who may be in need of unique workplace accommodations to minimize exposure risks.
- Maximize the use of video/phone conference capabilities to convene the IMT for pre-response planning. Ensure platforms are compatible across agency boundaries and familiar/accessible to IMT members.
- Become familiar with health and hygiene practices necessary to minimize impacts of COVID-19 and ensure your team has a functional plan to implement those on an incident, utilize the CDC and Health Authorities to guide those practices.

Incident Response

This area would include best practices during mobilization/at incident and through demobilization.

- Consider application of video/phone conference and minimal in-person participation at incident in- briefings and close-outs.
- Establish dialogue with agency administrators regarding risk tradeoffs associated with alternative suppression strategies, taking into account COVID-19 concerns.
- Establish an IMT Liaison with the Alaska Department of Health and Human Services.
- Ensure deployment of assigned personnel maximizes distancing opportunities without compromising communications and safety.
- Develop a COVID-19 exposure response plan for the incident based on input from local health authority's direction and guidance.
- Consider the addition of a Medical Officer position to the Command Staff or a Medical Unit Liaison/Coordinator to manage the workload that may transpire with COVID-19.
- Recognize limited capacity of smaller community's health systems and the impacts fire camps and other activities to those systems. Consider bringing in additional health care professionals to boost local capacity.
- Consider shift length and work/rest ratio opportunities to enhance distancing opportunities.
- Be familiar with local direction (agency/state/county) regarding testing, isolation and treatment of COVID-19 to ensure compliance with these policies/practices.
- Consider the complexities associated to evacuations and impacts to evacuees in the COVID-19 environment. Minimize duration of suggested evacuation status and understand the

consequences of shelter in place alternatives. Heightened coordination with local agency officials that have jurisdiction and responsibility for evacuations is recommended.

- Ensure engagement with stakeholders and the public is maximized through technology and social media sources to avoid exposure through large gatherings and interactions.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Implement team or local unit exposure response plan.
- Ensure local health officials are involved in cooperative communications.
- Determine reporting process for COVID-19 related exposure (local level, home unit, ICS-209, etc.).

Updated: 4/19/2020

Back to [Appendix B Outline](#)

Agency Administrator

The purpose and intent of the Best Management Practices (BMPs) for Agency Administrators is to list practices for prevention of the COVID-19 virus before and during incident response. If known or suspected exposure occurs during incident response, what practices must be implemented for the person and possible contacts with others to prevent the spread of the virus. Likely the most important component of Agency Administrator BMPs is the known information for spread of the virus is rapidly changing, thus there must be a collective corporate will to add and update clear Leader's Intent and consideration must be given to an interagency effort to ensure an integrated and common operating picture from leadership.

Whatever actions are taken this season should not be looked at as a temporary fix for a temporary situation. Rather, they should be looked at as possible permanent changes to how we fight wildland fire into the future that make us, as a group, more resilient.

Prevention

Agency Administrators must provide clear Leader's Intent for the following prevention measures.

- Refer to *All Fire Personnel Best Practices* ([Appendix A](#)).
- The most important value to be protected is human life and that all normal activities of wildland fire will be further complicated with the COVID-19 virus pandemic for the 2020 Fire Year.
- During the 2020 fire year, using all viable technology, organizations will maximize virtual environments to the extent possible. This includes all components of complex incident management inclusive of T5 through Area Command organizations; this includes all components of coordination and dispatch functions.
- With the added complexity of COVID-19, all wildland firefighters have the absolute right to turn down an assignment because of concern with exposure, Agency Administrators must consider why and attempt to mitigate with screening or testing and document the turn downs.
- Provide leader's intent and support for the "Module as One" concept.
- Increase emphasis on the fire prevention program.
- Support and authorize the use of militia personnel to respond to incidents, in Alaska this is inclusive of members of the community that work part time on fires and not necessarily an agency employee.
- Consider closures of areas where risk of human caused fires could contribute to response workload.
- Communicate with jurisdictional partners any changes to strategic response to wildland fire planning or resource contributions to local or geographic efforts.
- Manage public and political expectations of wildland fire response in a reduced resource environment; it is going to take political courage to follow through.
- Review approval processes (such as mechanized use in wilderness) to minimize delays that may occur in the initial attack phase of response; this should be coordinated on adjacent units regardless of jurisdictions.
- Address continued sanitation efforts and consider 14-day isolation for resources returning from travel and 14-day isolation for onboarding employees.
- Teleworking and virtual environments will be the norm for all employees.

Incident Response

- Ensure local Fire Management and initial attack Incident Commanders (ICs) are provided with expectations for application of agency COVID-19 related procedures in the emergency response environment.
- Include COVID-19 minimum mitigation procedures and priority in IC's Delegation of Authority and/or leaders' intent documentation for T5 through Area Command incidents.
- Whenever possible, develop unified/interagency delegations of authority before active wildland fires occur, address COVID-19 leader's intent in the delegation.
- Coordinate with Incident Commander/IMT on use of virtual positions at the time of mobilization and throughout the incident.
- Consider using agency personnel in non-operational roles to support the wildland fire missions.
- When possible reduce firefighter commitment to mop-up operations.
- Ensure sufficient incident support staff (logistics, Resource Advisors (READS), Agency Administrators (AA) are available.
- Engage with interagency partners on multijurisdictional incidents regarding consistent practices for COVID-19 management in the incident environment.
- Prepare WFDSS products that articulate how the incident strategy or course of actions are influenced by COVID-19 avoidance/management factors.
- Because of mobility issues, understand that response will be geographic in nature, very local in some cases (e.g. forest, park, or statewide) and not necessarily agency specific. Strong collaboration among interagency partners is vital to be successful within the response areas.
- Include objectives for IMTs to use non-traditional fire camps, spike camps, coyote tactics and virtual positions in an effort to support the "Module as One" concept.
- All agencies within the GA with wildland fire responsibilities should consider relief for natural resources and other administrative assignments to support wildland fire efforts.
- Due to public, staff, and firefighter health and safety, prioritize wildland fire agency responsibilities before addressing resource and other administrative demands.
- Wildfire emergency rehabilitation (e.g. BAER for federal agencies) activities should follow same protocols and principles as wildfire suppression activities to reduce employee exposure to COVID-19.
- Insist on an evaluation of objectives and needs when designing mop-up operations to reduce the severity and duration of firefighter exposure.
- Develop alternative strategies, conduct trade-off analyses, and select the alternative that best limits COVID-19 transmission, limits risk to firefighters, and achieves objectives.
- Initial actions on unplanned wildland fires should focus on limiting the duration of the fire, while maximizing protection of the values at risk, reducing exposure to COVID-19 and long-term smoke exposure to the firefighters, staff, and the public.
- Recognize limited capacity of smaller community's health systems and the impacts fire camps and other activities to those systems. Consider bringing in additional health care professional to boost local capacity.
- Develop a relationship with the local health authority. Provide guidance on local protocols and situations. Recommend local health authority SME to work within IMT Command Staff.

Exposure Response

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>.
- Implement team or local unit exposure response plan, in Alaska exposure plans must be situational dealing with remote villages, more populated communities and inclusive of fires in the Wildland Urban Interface.
- In Alaska, transportation issues and distances must be given serious consideration to properly address exposure.
- When firefighters are demobed due to potential COVID-19 exposure or symptoms, inform the afflicted employee's Agency Administrator. In the case of Alaska definition of "militia" ensure an individual demobed doesn't return immediately to the community, follow recommended quarantine protocols.
- Ensure agency staff follows through with tracing potential exposure and employee/cooperator notifications.
- If notified by employee or Health Department of positive COVID-19 test results Inform IC/IMT/Fire Management, without disclosing PII and in compliance with agency policy and HIPAA regulations.
- Share exposure lessons learned with other agency administrators and unit employees.

Updated: 4/22/2020

Back to [Appendix B Outline](#)

Fire Management

The intent of this section is to provide suggested practices for Fire Managers and Duty Officers to consider. Implementing practices that minimize exposure of potential COVID-19 vectors to employees should be implemented while balancing response efficiency and effectiveness.

Prevention

This area would include best practices to prevent exposure for this group.

- Follow guidance included in the *All Fire Personnel Best Practices* ([Appendix A](#)).
- Minimize cross module contamination and employee exposure potential by considering:
 - Avoid assigning “fill behind” firefighters to modules outside the local area except those essential to maintain minimum safety requirements. Interchanging personnel increases the chances for contamination.
 - Consider limiting training assignments to within module or within the state/local area. Avoid mobilizing trainees outside of the state or geographic area with the exception of those rostered with Incident Management Teams (IMTs).
- Stagger extended attack responding modules to alternate closest force response as much as possible. Ensure interagency response is maintained to best reduce exposure.
- Initial response and extended response shifts should emphasize and promote decontamination and individual care considerations. Time in the shift length to perform these responsibilities must be provided.
- Consider potential complexities surrounding evacuations and sheltering displaced residents in the COVID-19 environment. Engage with local authorities' regarding preplanning to avoid issues that may otherwise compromise safe operations.
- Update Staffing and Action Guide to incorporate local response mitigations. Consider the impacts of operating with 2 min. vs. 2 hr. response times if firefighters are working from home or in a virtual environment.

Incident Response

This area would include best practices during mobilization/at incident and through demobilization.

- Objectives associated with the AIWFMP Fire Management Option designations at the point of origin of an incident are a reference for creating initial management strategies. Each incident objective should be evaluated to create management strategies to minimize assigned personnel. Where management strategies include suppression objectives, minimize assigned personnel and incident duration.
- Use predictive services and professional judgment to balance assigned resources and incident duration.
- Use strategic fire planning elements and consider having remote decision support in place to assist units with decision development.
- Regularly reevaluate initial management strategies and balance the probability of success, assigned resources and other resource priorities in the GACC.
- Establish clear expectation of aggressive initial response to minimize possibility of large fire response requirements, including multiple start prioritization.
- Prioritize fire prevention patrol to deter and detect fires.

- Consider having jurisdictional duty officers attend the daily statewide tactical call when non-standard responses are occurring during periods of resource shortages.
- Consider ordering and implementing a saturation patrol strategy when Public Service Announcements (PSAs) at high risk/probability of large fire growth.
- Minimize briefing size and limit face to face contact as much as possible. Consider if operational briefing can occur over radio during Initial Response. Limit face to face briefings to 10 leaders or less if possible.
- Decentralize Staging Areas to limit face to face contact with other modules.
- Consider the application of aviation and mechanized assets in the initial attack phase to reduce assigned personnel.
- Hold assigned modules on incidents overnight to minimize home exposure potential.
- Utilize line spike and small spike camps as much as possible. Encourage modules to become self-sufficient as logistical support will be challenged.
- Work with the Agency Administrator to build COVID-19 response and mitigation strategies into WFDSS and establish interagency response objectives during extended attack or for incoming IMTs, using CDC and Health Authority practices to guide these strategies.

Exposure Response

This area would include best practices in the event of a known exposure.

- Follow the most current direction from the Centers for Disease Control and Prevention and local health authorities. <https://www.cdc.gov/coronavirus>
- Refer to the NWCG infectious disease guide for incident-based information: <https://www.nwcg.gov/committees/emergency-medical-committee/infectious-disease-guidance>
- Ensure a local/agency plan for COVID-19 testing, treatment, isolation is adhered to during initial attack response.
- If cross module or cross agency COVID-19 transmittal occurs during fire response, work with partner agencies to investigate source and develop mitigation measures.

Updated: 4/22/2020

Back to [Appendix B Outline](#)

Wildland Fire COVID-19 Screening Tool Interim Standard Operating Procedures 4/15/2020

NOTE: This Screening Tool represents interim guidance. Additional clarification will be coming as soon as it is defined.

DO YOU HAVE ANY OF THESE SYMPTOMS?

Today or in the past 24 hours, have you had a fever or a combination of more than one of the other any symptoms listed below **in addition to your normal work-related issues?**

- Fever, felt feverish, or had chills? Repeated shaking with chills?
- Cough? Shortness of breath or difficulty breathing?
- Muscle pain? Headache? Sore throat?
- New loss of taste and/or smell?

If in doubt about any of these symptoms, consult a Physician.

In the past 14 days, have you had contact with a person known to be infected with the coronavirus (COVID-19)?

Take temperature with touchless thermometer if available

Wildland Fire COVID-19 Screening Tool

Interim Standard Operating Procedures

4/15/2020

INSTRUCTIONS FOR SCREENING

- If resource is positive for any symptoms prior to mobilization **DO NOT MOBILIZE.**

- At Entries – Consider the adequate number of personnel needed for screening. Although medical personnel are ideal, screeners do not have to be medically trained.
 - If resource is positive for any symptoms including fever (over 100.4) at entry **DO NOT ANNOUNCE** - ask to step aside.
 - Escort sick individual to isolation area.
 - Isolation support personnel should begin documentation. Have sick individual contact Supervisor for further direction.
 - Notify public health officials.
 - Have individual transported as appropriate.
 - Protect and secure any collected Personal Identifiable Information or Personal Health Information

To: Fire Management Board and Non-Federal Wildland Fire Partners
From: COVID-19 Wildland Fire Medical and Public Health Advisory Team (MPHAT)
Date: 04/15/2020
Subject: COVID-19 Interim Screening Protocol for Wildland Fire Personnel

Purpose:

The interagency wildland fire community is committed to preventing the spread of COVID-19 and promoting the health and wellness of all wildland firefighters and support personnel. Consistent and continual monitoring of personnel is the first step in preventing the movement of potentially infected individuals and the spread of COVID-19. This memorandum establishes interim standard operating procedures and protocols for screening of wildland fire personnel at duty stations and during incident management activities to protect all personnel, appropriately manage potential COVID-19 infection, and reduce risk.

Background:

In December 2019, a novel (new) coronavirus known as SARS-CoV-2 was first detected in Wuhan, Hubei Province, People's Republic of China, causing outbreaks of the coronavirus disease COVID-19. The virus has now spread globally. Across the U.S., public health authorities have issued significant restrictions on public gatherings and implemented social distancing practices.

This disease poses a serious public health risk and can cause mild to severe illness; especially in older adults or individuals with underlying medical conditions. COVID-19 is generally thought to be spread from person-to-person in close contact and through exposure to respiratory droplets from an infected individual. Initial symptoms of COVID-19 can show up 2-14 days after exposure and often include: fever, cough or shortness of breath. Recent studies indicate that people who are infected but do not have symptoms likely also play a role in the spread of COVID-19

With the intent to sustain a viable, safe and effective wildland fire management workforce, (Federal, State, local and Tribal assets) during the COVID-19 pandemic, a preliminary measure is to establish common infection screening protocols utilized across the wildland fire community. The MPHAT has been established by the FMB with concurrence of the Fire Executive Council to address medical and public health-related issues specific to interagency administration of mission critical wildland fire management functions under a COVID-19 modified operating posture. The MPHAT includes interagency representation and interdisciplinary expertise (including CDC-NIOSH and medical professionals from USFS and DOI) to advise on all medical and public health related aspects of COVID-19 planning, prevention and mitigation. To that end an interim standard operating procedure has been developed and recommended by MPHAT for immediate adoption and utilization by wildland fire personnel at duty stations and wildland fire incidents to reduce the risk of disease through common screening protocols.

Rationale:

The scale and potential harm that may be caused by this pandemic meets the American Disabilities Act *Direct Threat* Standard.¹ Therefore, routine screening in the workplace is justified and warranted to prevent further community spread of the disease. By identifying, properly triaging, and managing personnel with exposures and these symptoms, personnel can reduce the spread and better mitigate COVID-19 infections among their workforce.

Instructions:

The following screening guidance is recommended for adoption and implementation at duty stations and for all incident management activities across the interagency wildland fire community, [as frequently and extensively as possible](#). Supervisors and incident managers should plan and resource accordingly to support the following SOP:

Pre-Mobilization

Supervisors should ensure personnel have no present symptoms of illness using the *Wildland Fire COVID-19 Screening Tool* prior to consideration of incident assignments. In addition to this initial screen, Supervisors should inform personnel going on assignments of ongoing routine daily screening on all incidents during COVID-19.

Arrival/Entry to Location

All resources accessing any entry point location will wash their hands. If soap and water are not available hand sanitizer may be used. Each resource will proceed to receive verbal screening using the *Wildland Fire COVID-19 Screening Tool* and if possible, have their temperature assessed using a touchless thermometer. Supervisors and incident managers should determine the number of personnel required to support the screening process and consider scheduling and/or staggering resource arrival times to minimize crowding at arrival/entry locations.

Daily Screening

All resources should be encouraged to report any emerging symptoms to their supervisor (Crew Boss, Unit Leader, Module Leader, Duty Officer, Division Supervisor, Floor Supervisor, etc.). In addition, supervisors should assess subordinates' health daily using the *Wildland Fire COVID-19 Screening Tool* to ensure no emerging symptoms. It is recommended the screening questions are asked of all personnel routinely throughout the day.

Positive Screenings

Persons with indications of illness prior to mobilization should be excluded from incident assignments until they meet the return to work criteria as described by CDC (7 days after the start of symptoms and at least 3 days after the last fever not requiring fever reducing medications, and symptoms are improving). Persons found meeting sick criteria or found to be with fever on arrival at an incident entry location should not be allowed entrance and, as above, should be excluded from incident assignments until they meet the return to work criteria as described by CDC. Next steps should be coordinated with unit leadership, the medical unit and/or local health authority. Prior to release and return to home, individuals with signs or symptoms of illness posing a risk of COVID-19 transmission should be isolated in a separate location. This may require separate, dedicated and staffed areas/facilities to ensure that individuals with potential COVID-19 infection do not commingle with other fire personnel.

Confidentiality of Medical Information:

Any medical information gathered is subject to ADA confidentiality requirements ^[3] ^[4].

Tools and Supplies

- Verbal Screening - use the *Wildfire COVID-19 Screening Tool*
- Temperature Checks - use only touch-less infrared thermometer if available.
 - Incident management personnel involved with screening should consider purchasing touchless thermometers prior to assignment. Incident emergency medical personnel are strongly encouraged to bring their personal touchless thermometers if available.
- Mask or Face Barrier - Current CDC guidance includes wearing cloth face coverings in public settings where other social distancing measures are difficult to maintain, especially in areas of significant community-based transmission. The use of simple cloth face coverings is

recommended to slow the spread of the virus and help people who may have the virus and do not know it from transmitting it to others. As of April 2020, masks made from cloth material are considered acceptable facial barriers.

- Isolation - use separate facility, yurt or personal tent.
- Dedicated Wash Stations - Consider the number of dedicated wash stations and/or portable restrooms needed to maximally support each bullet above.

Personal Protective Equipment

The NFES 1660 – *Individual Infectious Barrier Kit* or NFES 1675 – *Multi-Person Infectious Disease Barrier Kit* (as needed) should be used under the following circumstances:

- Workers engaged in screening at arrival and entry location
- Workers helping to manage sick and/or asymptomatic personnel with recent COVID-19 interaction.
- Workers helping to sanitize infected areas, or any areas suspected of infection

Note: Appropriate techniques for using personal protective equipment including donning and doffing can be found at:

<https://www.cdc.gov/coronavirus/2019-ncov/hcp/using-ppe.html>

References:

- [1] [Interim Guidance for Businesses and Employers to Plan and Respond to Coronavirus Disease 2019 \(COVID-19\)](#)
- [2] [Symptoms of Coronavirus](#)
- [3] [Pandemic Preparedness in the Workplace and the Americans with Disabilities Act](#)
- [4] [29 CFR § 1630.14 - Medical examinations and inquiries specifically permitted.](#)
- [5] [DOI COVID-19 Risk Assessment & Decision Matrix for Managers \(*DOI Access Only*\)](#)
- [6] [Discontinuation of Isolation for Persons with COVID-19 Not in Healthcare Settings \(Interim Guidance\)](#)
- [7] [Personnel in Mission Critical and Essential Function Positions \(*DOI Access Only*\)](#)
- [8] [Coronavirus Disease 2019\(COVID-19\). Use of Cloth Face Coverings to Help Slow the Spread of COVID-19.](#)

Appendix D – Contact Lists

Name	Position	Office Number
Aitor Bidaburu	NMAC, Fire Program Specialist, FEMA, United States Fire Administration	208-387-5698
Beth Lund	NMAC, Assistant Director of Operations, USFS	208-387-5605
Chad Fisher	NMAC, Fire Operations Program Leader, NPS	208-387-5967
Dan Smith	NMAC, National Association of State Foresters Fire Director	208-387-5653
Josh Simmons	NMAC Chair, Director of Fire Operations, BIA	208-433-5372
Ken Schmid	NMAC, Preparedness/Suppression Support Branch Chief, BLM NIFC	208-387-5934
Shane McDonald	NMAC, Deputy Fire Director, USFWS	208-387-5583
Bobbette Rowe	AWFCG, Zone Fire Management Officer, USFS	907-743-9458
Brad Reed	AWFCG, Fire Management Specialist, USFWS	907-786-3985
Charlie Sink	AWFCG, Director, Enterprise & Trust Services, Chugachmiut	907-562-4155
Chris Wilcox	AWFCG, Fire Director, USFWS NIFC	208-387-5599
Chuck Russell	AWFCG, Regional Fire Management Officer, NPS	907-644-3409
Clinton Northway	AWFCG, Fire Management Specialist, Tanana Chiefs Conference	907-452-8251
Ed Morgan	AWFCG, Regional Forester, BIA	907-586-7315
John Giller	AWFCG, Fire, Fuels and Aviation Director Regions 6/10, USFS	503-808-2143
Kent Slaughter	AWFCG, Deputy State Director, BLM	907-356-5505
Molly Birnbaum	AWFCG, Air Quality Program Mgr, AK Dept of Environmental Conservation	907-269-4913
Paige Jones	AWFCG, Natural Resources Coordinator, Assoc. of Village Council Presidents	907-543-7472
Sue Rodman	AWFCG, Program Coordinator, AK Dept Fish & Game	907-267-2274
Tim Dabney	AWFCG, Deputy State Forester, BLM	907-269-8476
Adam Kohley	Training Specialist, BLM	907-356-5634
Aleshia Purcell	State Incident Business Specialist, AK DOF	907-356-5794
Ben Bobowski	Superintendent Wrangell - St. Elias NP, NPS	907-822-5234
Branden Peterson	Assistant Fire Management Officer, AK DOF	907-356-5550
Casey Boespflug	Fire Program Analyst, BLM/AFS	907-356-5859
Chris Maisch	State Forester and Director, AK DOF	907-451-2666
Chris Moore	Fire Behavior Analyst, BLM/USFS	907-356-5554
Clint Kolarich	Wrangell District Ranger, USFS	907-874-2323
Greg Scully	Regional Aviation Manager – Rotor-Wing, AK DOF	907-761-6279
Hans Rinke	Coastal Regional Forester, AK DOF	907-260-4200
Heath Schaaff	Alaska Regional Aviation Officer, USFS	
Heidi Strader	Fire Weather Program Manager, NPS	907-356-5691
Jake Livingston	Fire Management Officer, BLM	907-356-5668
Jason Devcich	Eastern Area Fire Management Officer, NPS	907-455-0651
Jason Jordet	Regional Aviation Manager	907-761-6280
Jennifer Jenkins	Fire GIS Chair, BLM	907-356-5600
Jeremy Douse	Northern Regional Forester, AK DOF	907-451-2670
Jim Butler	Liaison Officer	
Jon Glover	Wildland Fire Management Specialist, USAF	907-552-1110
Justin Ray	Military Fuels Specialist, BLM	907 356-5879
Kale Casey	Fire Information Officer, BLM	
Karen Scholl	Fire Operations Specialist, BLM	907-356-5657

Name	Position	Office Number
Kate Rubin	State Logistics Coordinator, AK DOF	907-356-5682
Kris Fister	Chief of Interpretation, NPS	907-455-0641
Kristi Bullock	Fire Management Officer, USFWS	907-260-2845
Kyle Cowan	Associate Deputy State Director, Fire and Aviation, BLM	907-656-1222
Larry Weddle	Western Area Fire Management Officer, NPS	907-683-9548
Luann Grover	Cooperator Fire Specialist, USFS	503-808-2333
Michelle Weston	Liaison Officer AK IMT	907-729-5653
Mike Bradley	Safety Coordinator, BLM	907-356-5866
Mike Butteri	Strategic Operational Planner, BLM	907-388-3089
Norm McDonald	Fire Program Manager, AK DOF	907-761-6238
Peter Butteri	Fire Management Officer, USFWS	907-356-5874
Ray Crow	Alaska Interagency Center Coordinator, BLM	907-356-5677
Sam Harrel	Fire Information Officer, BLM	
Sarah Saarloos	Fire Information Officer, BLM	
Steve Elwell	State Aviation Officer, BLM	907-761-6271
Steve Theisen	Training Section Chief, BLM	907-356-5558
Teresa Rose	Statewide Logistics Center Coordinator, AK DOF	907-451-2664
Tim Mowry	State Fire Operations Information Officer, BLM	907-356-5512
Togie Wiehl	Smokejumper Loft Supervisor, BLM	907 356-5620
Tom Kubicheck	Smokejumper Deputy Chief, BLM	907-356-5536

Appendix E – Transportation

Pros

Cons

<i>Contract (NICC) Jets</i>	
<ul style="list-style-type: none"> • Personnel can be checked for symptoms prior to boarding as part of the manifest check. • Provides a controlled environment for tracking the movement of personnel. • Minimizes the exposure of personnel to the general traveling public. • Ability to reduce the number of crews on the flight to maintain social distancing. • Possibly easier to obtain emergency clearance of crews from State quarantine mandates. • In the event of a subsequent positive test result, it will be easier to identify personnel who need to be quarantined. 	<ul style="list-style-type: none"> • More flights may be required to transport the crews if social distancing is required. • A subsequent positive test result may result in the quarantine of the entire jetload, possibly even the flight crew.
<i>Commercial Air</i>	
<ul style="list-style-type: none"> • More flights are available. • In the event of a positive test, only need to quarantine one crew. 	<ul style="list-style-type: none"> • May possibly be more difficult to check personnel for symptoms if crew travels on different flights. • Greater exposure to the general population, leading to a greater possibility of exposure. • May not be able to avoid mandatory State quarantines upon arrival.
<i>Agency Vehicles (IHC's, Engines, Modules, etc.)</i>	
<ul style="list-style-type: none"> • Immediate mobilization response of resources. • Immediate availability for operational assignments. 	<ul style="list-style-type: none"> • Assigned vehicle mix may not provide proper social distancing, requiring the assignment of additional agency vehicles or providing rental vehicles, delaying response. • Travel issues may arise, such as: lack of open restaurants, rest areas may be closed, difficulty of obtaining overnight lodging, possibly delaying response.
<i>Contract Resources (Crews, Engines, Equipment, etc.)</i>	
<ul style="list-style-type: none"> • Immediate mobilization response of resources. • Immediate availability for operational assignments 	<ul style="list-style-type: none"> • Contractual vehicle mix may not provide proper social distancing, causing the addition of vehicles outside of the contract, possibly requiring the modification of the contract. May result in a delayed response. • Travel issues may arise, such as: lack of open restaurants, rest areas may be closed, difficulty of obtaining overnight lodging, possibly delaying response.
<i>Contract Crew Buses</i>	

Pros

Cons

<ul style="list-style-type: none"> • One vehicle per crew. • Ability to keep one crew assigned to a single bus. • No need to ensure that the crew has licensed drivers. • Bus operator responsible for cleaning and sanitizing the vehicle. 	<ul style="list-style-type: none"> • May need two buses to maintain social distance. • In the event of a positive test, the whole crew will need to be quarantined, along with the bus operator.
<u>Rental Vehicles</u>	
<ul style="list-style-type: none"> • Better able to maintain social distancing. • In the event of a positive test, may reduce the number of personnel to be quarantined. • Better able to split the crew for operational assignments. 	<ul style="list-style-type: none"> • Need at least one licensed driver for each vehicle. • Crew members are responsible for cleaning and sanitizing the vehicles. • May need additional vehicles to maintain social distancing.
<u>Helicopters</u>	
<ul style="list-style-type: none"> • May be the only way to transport crews to some locations. 	<ul style="list-style-type: none"> • May need to clean and sanitize after each personnel flight. • In the event of a positive test, in addition to the crew, the Helitack module and pilot may also need to be quarantined, requiring their replacement.
<u>Boats</u>	
<ul style="list-style-type: none"> • May be the only way to transport crews to some locations. • Use is not dependent on suitable weather for aviation. 	<ul style="list-style-type: none"> • May need to clean and sanitize after each trip. • In the event of a positive test, in addition to the crew, the operator will also have to be quarantined, requiring a replacement.
<u>Single/Twin Engine Planes (Twin Otter, etc.)</u>	
<ul style="list-style-type: none"> • May be the only way to transport crews to some locations. 	<ul style="list-style-type: none"> • May need to clean and sanitize after each trip. • In the event of a positive test, in addition to the crew, the pilot will also have to be quarantined, requiring a replacement.
<u>Lowboys & Rental Vehicles</u>	
<ul style="list-style-type: none"> • Transporting an engine on a lowboy while having the engine crew drive rental vehicles keeps the engine in service in the event a crew member exhibits symptoms or has a positive test while enroute, isolating the whole crew. 	<ul style="list-style-type: none"> • In the event that the lowboy operator becomes ill, the engine may be delayed in arriving.

Appendix F – RESERVED

Reserved for future Smoke+COVID-19 appendix inclusion.