State of Alaska Department of Natural Resources Division of Forestry & Fire Protection NORTHERN REGION FAIRBANKS-DELTA AREA **Forest Land Use Plan**



CUMMINGS ROAD EAST TIMBER SALES

NC-1677-D, NC-1869-D, NC-1894-D, NC-1899-D, NC-1906-D, NC-1914-D

SEPTEMBER 2024

Abbreviations

AAC	Alaska Administrative Code
ADEC	Alaska Department of Environmental Conservation
ADF&G	Alaska Department of Fish and Game
ADNR	Alaska Department of Natural Resources
AS	Alaska Statute
BIF	Best interest finding
CCF	Hundred cubic feet
DBH	Diameter at breast height (4.5 feet above ground)
DMLW	Division of Mining, Land and Water
DOF	Division of Forestry & Fire Protection
ETAP	Eastern Tanana Area Plan
FLUP	Forest Land Use Plan
FRPA	Alaska Forest Resources and Practices Act
FYSTS	Five-Year Schedule of Timber Sales
MBF	Thousand board feet
OHA	Office of History and Archeology
ROW	Right-of-way
TVSF	Tanana Valley State Forest

Contents

I.	Intro	luction	l
	A.	Legal description2	2
	B.	Operational Period	2
	C.	Timber Disposal	2
	D.	Objectives and Summary	3
II.	Affec	ted Land Owners/Jurisdictions	3
	A.	State	3
	В.	Other Land Ownership	3
III.	Harve	est Methods, Silvicultural Actions, and Management of Non-timber Resources4	1
	A.	Timber Stand Description and History	1
	В.	Timber Harvest Activities	5
	C.	Site Preparation	5
	D.	Reforestation	5
	E.	Slash Abatement	3
	F.	Timber Harvest—Surface Water Protection	3
	G.	Wildlife Habitat)
	H.	Cultural and Historical Resource Protection)
	I.	Other Resources Affected by Timber Harvest and Management)
IV	Road	s and Crossing Structures10)
	A.	Road Design, Construction, and Maintenance 10)
	B.	Side Slopes / Mass Wasting 10)
	C.	Crossing Structures	L
	D.	Road Closure11	l

	E.	Material Extraction	11
	F.	Other Resources Affected by Roads or Material Extraction	12
V.	Appr	ovals	13
VI.	Appe	ndix: Sale maps	14

I. Introduction

Project File Number: Cummings Road East Timber Sales, including NC-1677-D, NC-1869-D, NC-1894-D, NC-1899-D, NC-1906-D, and NC-1914-D.

Division of Forestry & Fire Protection Office: Fairbanks-Delta Area Area Forester: Kevin Meany, Northern Region Forester Forest Practices Geographic Region (AS 41.17.950): Region III

This Forest Land Use Plan (FLUP) covers proposed forest operations on approximately 127 acres of mixed birch and spruce forest from state lands in the Cummings Road East area east of Delta Junction. It is intended to provide the best available information regarding the proposed harvest of timber, and management of other non-timber uses in compliance with AS 38.05.112 and AS 41.17.060, and must be adopted by the DNR before the proposed activity can occur.

 \boxtimes This Forest Land Use Plan is for timber sale(s) which have been determined to be in the best interest of the state pursuant to AS 38.05.035 (e) and AS 38.05.945; in the Cummings Road East Timber Sales Best Interest Finding (September 2024). This FLUP does not determine whether or not to access and sell timber within the timber sale area, nor the method of sale. Those decisions have been made previously in the September 2024 Best Interest Finding and are not appealable under this FLUP.

□ This DRAFT Forest Land Use Plan is for timber sale(s) for which a Preliminary Best Interest Finding is currently out for review. A final best interest finding must be completed prior to adoptions of a final FLUP pursuant to AS 38.05.035 (e) and AS 38.05.945; Cummings Road East Timber Sales PBIF includes proposed timber sales NC-1677-D, NC-1869-D, NC-1894-D, NC-1899-D, NC-1906-D, and NC-1914-D; and is available on DOF's public webpage: http://forestry.alaska.gov/timber/delta

□ This DRAFT Forest Land Use Plan is for timber to be harvested that does not require a final finding pursuant to AS 38.05.035 (e) and notification under AS 38.05.945.

This Forest Land Use Plan was made available for public comments; the review period ended on 8/23/24. After public and agency review of the draft FLUP, the DOF reviewed comments, made changes as appropriate (see Appendix C) and has adopted this FLUP. This Forest Land Use Plan has been adopted by the Department of Natural Resources. Site specific compliance with the Alaska Forest Resources and Practices Act and the Regulations, as well as the Final Finding for this proposed project are reflected in this Forest Land Use Plan and will be implemented in the Timber Sale Contract.

An eligible person affected by this decision, and who provided timely written comment or public hearing testimony to the department, may appeal the decision to the DNR Commissioner per AS 44.37.011 and 11 AAC 02. Comments on the specific requirements for harvest, access, and reforestation operations in the FLUP should be submitted in writing to Kevin Meany, Northern Region Forester on or before **4:30pm AKDT**, **Friday 10/4/24**. Address(es) for submitting written comments: the State of Alaska, Division of Forestry & Fire Protection, 3700 Airport Way Fairbanks, Alaska 99709, or by email to kevin.meany@alaska.gov.

 \boxtimes Other Documents are referenced in this FLUP. This timber sale is designed to be consistent with the management intent of the following documents:

2001 Tanana Valley State Forest Management Plan Update

The administrative record for these sales is maintained at the Division of Forestry & Fire Protection Fairbanks Office filed as Cummings Road East Timber Sales, including NC-1677-D, NC-1869-D, NC-1894-D, NC-1899-D, NC-1906-D, and NC-1914-D.

A. Legal description

The proposed sales are located approximately 32 miles southeast of the Delta Area Forestry office in the Cummings Road area north of the Alaska Highway at milepost 1392. The proposed sales are accessed via the Newby Mill Forest Road from the east side of Cummings Road 2.1 miles from the Alaska Highway.

- NC-1677-D is within Sections 21, 22, 28, T12S, R15E, Fairbanks Meridian
- NC-1869-D is within Section 33, T12S, R15E and Section 3, T13S, R15E, F.M.
- NC-1894-D is within Section 28, T12S, R15E, F.M.
- NC-1899-D is within Section 28, T12S, R15E, F.M.
- NC-1906-D is within Section 28, T12S, R15E, F.M.
- NC-1914-D is within Section 28, T12S, R15E, F.M.

The sales are accessed primarily by existing all-season roads within TVSF, but new spur roads will need to be constructed to access NC-1677-D, NC-1899-D, and NC-1914-D.

See also maps in Section VI.

B. Operational Period

Approximately 3 years from the "Effective Date" on the signed contract. Timber contracts administered by the Fairbanks office generally have a 3-year operational period terminating on May 31 of the third year.

C. Timber Disposal

- \boxtimes Timber will be sold and will have a contract administrated by the State.
- □ Timber will be available to the public; permits obtained by the public will be issued by the State.
- \Box Other

D. Objectives and Summary

- Provide the raw material for the industry to produce timber products providing benefits to the state and local economy through employment opportunities.
- Harvest the commercial timber before a significant decrease in merchantability occurs due to age, wildfire, or forest health issues, and return the site to a young productive mixed stand forest.
- Provide sawlogs and firewood for building and heating needs of interior Alaska communities.
- Promote multiple use management that provides for the production, utilization, and replenishment of timber resources while perpetuating personal, commercial, and other beneficial non-timber uses of the forest resources.

II. Affected Land Owners/Jurisdictions

A. State

	Activity on ownership:	Access Easement	Harvest	Written Representative Approval
🛛 Tanana Valley	State Forest	\boxtimes	\boxtimes	\boxtimes
\Box Other state lan	d managed by DNR			
\Box University of A	Alaska			
□ Mental Health	Trust			
□ School Trust				
B. Other Land C	Ownership			
Land Own	er:			

Land Owner Representative:

III. Harvest Methods, Silvicultural Actions, and Management of Non-timber

Resources

Forest operations will be designed to:

- Protect fish habitat and water quality in compliance with the best management practices in 11 AAC 95.260-.370,
- Manage for the other land uses and activities identified in AS 41.17.060 and the Best Interest Finding for this timber sale, and
- Ensure prompt reforestation and maintenance of site productivity in compliance with AS 41.17.060(c) and 11 AAC 95 .375-.390.

Harvest and Silvicultural Methods:

- \boxtimes The silvicultural actions are described in this document, and no prescription was written or is necessary.
- □ A silvicultural prescription has been written and is attached to this document in Appendix B.

A. Timber Stand Description and History

The proposed project area is a mosaic of productive mixed species timber types that have seen multiple small harvest entries since at least the 1940s. The timbered stands are adjacent to the Tanana River and encompass two bluff complexes and the flat, well-drained land between them. There are an estimated 1,373 Cords (1,236 CCF) of mixed fuelwood and 431 MBF (1,104 CCF) of spruce sawlogs on approximately 127 acres. NC-1677-D is a mature closed canopy birch sawtimber type. NC-1894-D and NC-1906-D are primarily a mature spruce forest. NC-1869-D, NC-1899-D, and NC-1914-D are all of a mixed spruce-birch timber type, with the spruce component predominant.

B. Timber Harvest Activities

Timber Harvest Activities are displayed in Table 1.

Unit ID	Acres	Topography	Silvicultural Action	Logging Method			
NC-1677-D	60.8	Slopes 10-35%	Heavy partial cut	Ground based, whole tree harvest			
NC-1869-D	24.2	Slopes 10-25%	Clear cut	Ground based, whole tree harvest			
NC-1894-D	7.3	Flat	Clear cut	Ground based, whole tree harvest			
NC-1899-D	17.2	Slopes 20-40%	Clear cut	Ground based, whole tree harvest			
NC-1906-D	7.6	Flat	Clear cut	Ground based, whole tree harvest			
NC-1914-D	9.9	Slopes 10-40%	Clear cut	Ground based, whole tree harvest			

Table 1. Timber Harvest Activities

C. Site Preparation

- Site preparation will not be necessary. There is either sufficient residual stocking, or because there has been sufficient soil disturbance by logging/fire to forego scarification.
- □ Site preparation will be implemented and described in Table 2:

Table 2. Site Preparation

Unit ID	Acres	Site Preparation Method	Date of Completion

D. Reforestation

Season of harvest:

- \Box Winter harvest only
- \Box Non-winter harvest only

⊠ All-season harvest (NC-1677-D, NC-1869-D, NC-1894-D, NC-1899-D, NC-1906-D, and NC-1914-D)

- 🛛 Clearcut
- Partial Harvest relying on residual trees to result in a stocking level that meets standards of 11 AAC 95.375 (b)(4). Stocking levels will be calculated using data for the number of residual trees collected during DOF regeneration surveys and populate the following Table 3:

Average DBH (Diameter at breast height)	Residual Trees (Trees/acre)	Minimum Stocking Standard (Trees/acre)	Percent Stocking
≥9"		120	%
6" to 8"		170	%
1" to 5"	50	200	25%
Total Residual Stocking	25%		

Table 3. Stocking Level Requirements

Seedlings Required:

Percentage Under stocked = 100 - Total Residual Stocking %Percentage Under stocked = $100 - \underline{25\%} = \underline{75\%}$

Seedlings/ Acre Required = Percentage Understocked/100 x 450 Seedlings/ Acre Required = $\frac{75}{100} \times 450 = \frac{338}{100}$

□ Artificial regeneration

□ Seeding: Species and source of seed (general vicinity location of seed source)

□ Planting: Species:_____Date of proposed planting: _____

Source of seedlings (location of seed source):

⊠ Natural regeneration: provide known information on the following indicators of suitability for natural regeneration. If a box is checked "no," please explain/describe the condition. N/A means "not applicable."

Yes No N/A Unknown

Seedbed and soil conditions suitable for natural regeneration

Moss layers are shallow (≤ 4 ") or absent. \times Note: NC-1894-D and NC-1906-D have areas with more established moss layers, but mechanical harvest and sun exposure is expected to provide sufficient receptive seedbeds. \times Where birch or spruce regeneration is targeted, exposed mineral soil will exist on at least 25% of the harvest area and is well-distributed across the unit \times Where aspen regeneration from suckering is targeted, root damage will be minimal and soil exposure will encourage warming.

N/A Unknown Yes No Seed/vegetative reproduction sources available \times Exposure to prevailing winds, if known \square \times \times Adequate seed trees exist within 3 tree heights of the reforestation site for spruce or within 2 tree heights for birch Where spruce regeneration is targeted, large seed crop in \times year prior to harvest or current year Where vegetative reproduction is targeted the harvest area \times contains sufficient, well-distributed paper birch, aspen, balsam poplar, western black cottonwood, red alder, or other species known to regenerate vegetatively as approved by the Division [paper birch, quaking aspen]. N/A Unknown Yes No Competition and infestation risk \square \square \square \boxtimes Calamagrostis (bluejoint grass) is not visually evident. If Calamagrostis is visually evident, describe abundance and distribution. Note: Calamagrostis coverage of more than 1-2% distributed across the site indicates that grass coverage may expand rapidly after harvest without treatment. Sales with a large birch component (NC-1677-D, NC-1869-D, NC-1899-D, and NC-1914-D) have grass present up to 5%. Ground disturbance from harvest activities, especially on slopes, is expected to reduce grass continuity and provide receptive seedbeds. \boxtimes Equisetum (horsetail) is present prior to harvest \square \square \square \boxtimes The site is not currently subject to intense herbivory due to peaks in the hare cycle, dense moose populations, or scarcity of browse in the surrounding landscape. \times Existing stands are not infested with bark beetles (Dendroctonus or Ips) \times Where spruce regeneration is targeted, harvest areas are free of known incidence of Onnia tomentosus root rot. Note: tomentosus can kill regeneration of spruce and, to a lesser degree, pine and larch. If tomentosus is present, describe the extent of the problem in the notes box below. Design reforestation to minimize continuation or spread of the disease

□ Landowner requests an extended period for natural regeneration under 11 AAC 95.375(d)(6)

E. Slash Abatement

- □ Potential for insect infestations caused by slash accumulations exists. Slash abatement for controlling infestations will be implemented as required by 11 AAC 95.370.
- \boxtimes Lop and scatter slash; accumulations will be kept to less than 2 feet in height.
- \boxtimes Slash will be disposed of by the operator \square Slash will be disposed of by the State
- \Box Other method of slash disposal: \Box removal off site \Box crushing or grinding \Box burning
- \Box Burn permits necessary from DOF and DEC to be acquired.
- \boxtimes The operator will contact the DOF local area office prior to ignition of debris.

F. Timber Harvest—Surface Water Protection

- \Box There are no streams or lakes abutting or within a harvest unit.
- Known surface waters and protection measures are described in Table 4 below.

Unit	Waterbody Name	AS 41.17.950 Classification	ADF&G AWC #	Required Riparian Protection	Site-specific actions to minimize impacts on riparian area
All	Tanana River	III.B	334-40-11000- 2490	No harvest within 100' of ordinary high water mark	 Winter only access No harvest operations within 100' buffer valid ADF&G Fish Habitat Permit snow/ice bridges compliant with Fish Habitat Permit

Table 4. Protection for Known Surface Waters

Surface waters listed above were reviewed by the Department of Fish and Game:

- \boxtimes During the timber sale planning process
- \boxtimes During the agency review conducted for the Best Interest Finding for this sale
- ☑ During the drafting of this Forest Land Use Plan
- □ Stream Crossings (Title 16) Permits are needed per ADF&G Division of Habitat

Surface waters listed above were reviewed by the Department of Environmental Conservation:

- \boxtimes During the timber sale planning process
- \boxtimes During the agency review conducted for the Best Interest Finding for this sale
- ☑ During the drafting of this Forest Land Use Plan

Non-classified surface waters are subject to applicable BMPs in 11 AAC 95.

Notes: The Tanana River is the nearest catalogued anadromous waterbody, and is categorized under FRPA as a Type III.B. waterbody (glacial, with resident fish). The proposed sale areas are at least 1,500 feet from the active channels of the Tanana River, and there are no known perennial streams impacted by the sale areas or the access roads

G. Wildlife Habitat

- ⊠ Wildlife species and allowances for their important habitats were addressed in writing by the Department of Fish & Game during the Best Interest Finding review.
- ⊠ Wildlife species and allowances for their important habitats were addressed in writing by the Department of Fish & Game during the drafting of this Forest Land Use Plan.

Silvicultural practices to be applied to minimize impacts to wildlife habitat or wildlife management:

- \boxtimes Timber retention concentrations of timber surrounding harvest units, or interspersed within harvest units to provide cover.
- \Box Snag Retention- snags or isolated trees left for cavity nesting species.
- ⊠ Large Woody Debris concentrations of downed timber or logging debris interspersed within harvest units to provide cover left on site.
- \Box Other actions

Notes:

H. Cultural and Historical Resource Protection

- ⊠ This project was reviewed by the State Historic and Preservation Office (SHPO).
- \Box No artifacts have been reported within the project area(s).
- □ Known or likely sites have been identified and a mitigation plan is in place. (Describe the mitigation actions.)

I. Other Resources Affected by Timber Harvest and Management

There are other resources and areas of concern besides surface water, fish habitat, and wildlife habitat that may be affected. Mitigations actions were addressed in the Best Interest Finding.

Impacted Resource	Reviewing Agency	Impact/ Mitigation Actions		
Viewshed	DOF	Screening techniques employed during sale layout, such as irregular boundaries and buffers of mature forest		

Table 5. Other Affected Resources / Areas of Concern

□ There are no affected resources or areas of concern other than surface water, fish habitat, and wildlife habitat, which are addressed in this Forest Land Use Plan.

Notes:

IV. Roads and Crossing Structures

A. Road Design, Construction, and Maintenance

Roads will be designed, constructed, and maintained to prevent significant adverse impacts on water quality and fish habitat (AS 41.17.060(b)(5)), and site productivity (AS 41.17.060(c)(5)). Roads will comply with the best management practices in the Forest Resources and Practices Regulations (11 AAC 95.285 - 95.335).

Roads or other means required for the access and removal of this timber from the harvest area(s) or unit(s) are listed in Table 6

Road ID	Segment	Harvest Unit	Mile/ Station	Road Class	Maximum Grade %	Constructed By	Maintained By
Cummings Road	1	all	2.1	Non- FRPA	2%	State	Residents
Newby Mill Forest Road	2	All	4.1	Secondary	2%	DOF	Operator
NC-1677-D Access	3	NC-1677-D	0.3	Spur	8%	Operator	Operator
NC-1914-D Access	4	NC-1899-D NC-1914-D	0.5	Spur	8%	Operator	Operator
NC-1869-D Access	5	NC-1869-D	0.8	Spur	8%	DOF	Operator

Table 6. Road Construction and Use

Notes: Existing roads are listed as DOF-constructed and must be maintained as part of these timber sales. Any new road construction to access the proposed harvest areas will be constructed by the Operator to the standards set out in AFRPA and the 2016 DNR-DOF Road Standards.

*Note: Roads must be less than 20% grade per 8 AAC 61.1060 Additional Logging Standards

B. Side Slopes / Mass Wasting

For slopes over 50%, identify indicators of unstable areas (landslide scars, jack-strawed trees, gullied or dissected slopes, high density of streams or zero-order basins, or evidence of soil creep). Attach location specific road design that potentially mitigates identified areas of unstable soils.

Maximum percent side slopes: <u>40%</u>

 \boxtimes Maximum percent side slopes are $\leq 50\%$

 \Box Maximum percent side slopes are >50%

- \Box There are no indicators of unstable areas where roads will be constructed
- □ Indicators of unstable areas were identified and will be mitigated by actions indicated below.
 - □ Full benching will be constructed to help ensure slope stability
 - □ Full benching is not required for roads in this project
 - □ End hauling will be implemented to help ensure slope stability
 - \Box End hauling is not necessary for roads in this project.

General Erosion Control:

□ Grass seeding	\Box Erosion control mats	□ Wattle	⊠ Waterbars
□ Other:		\Box Not applicable	

C. Crossing Structures

Are you removing or replacing drainage structures? \Box YES \boxtimes NO

 \boxtimes No crossing structures are needed within the project area.

 \Box Crossing structures will be placed along access roads as described in the table below:

Table 7. Required Drainage and Crossing Structures on Known Surface Waters

Road ID	Segment	Mile/ Station	Bridge Length (ft.)	Structure Type	AS 41.17.950 Stream Classification	ADF&G AWC Number	Duration of crossing structure in place

D. Road Closure

Roads constructed for the timber sale that are left open will be subject to maintenance standards under 11 AAC 95. 315. Otherwise, roads constructed for the timber sale will be closed, subject to standards under 11 AAC 95.320.

Table 8. Road Closures

Road ID	Segment	Unit	Closure Type All Season/Winter	Estimated Closure Date	Projected Road Use after Timber Harvest

E. Material Extraction

- \boxtimes There will be no material extraction sites in the project area.
- □ Material extraction and associated overburden disposal will be located outside of riparian areas and muskegs. Material extraction and disposal will be located as shown on the

operation map, in a manner that prevents runoff from entering surface waters. $\hfill\square$ Other:

F. Other Resources Affected by Roads or Material Extraction

List resources other than water, habitat or cultural resources potentially impacted by road construction, and indicate how impacts will be mitigated. Other affected resources could be, but are not limited to mining claims, scenic areas, recreational trails, etc.

Table 9. Other Affected Resources

Impacted Resource	Reviewing Agency	Impact / Mitigation Actions

V. Approvals

This Forest Land Use Plan has been reviewed by the Division of Forestry & Fire Protection and provides the information necessary to be adopted by the Department of Natural Resources as required by AS 38.05.112.

vacant

Area Forester

Date

Regional Forester

9/12/24

Date

APPEALS:

An eligible person affected by this decision, and who provided timely written comment or public hearing testimony to the department, may appeal the decision to the DNR Commissioner per AS 44.37.011 and 11 AAC 02. Any appeal must be received within twenty (20) calendar days after issuance of this decision under 11 AAC 02.040. An eligible person must first appeal a decision to the Commissioner before seeking relief in superior court. The Alaska State Courts establish its own rules for timely appealing final administrative orders and decisions of the department.

Appeals may be mailed or hand-delivered to the DNR Commissioner's Office, 550 W. 7th Avenue, Suite 1400, Anchorage, Alaska, 99501; or faxed to (907)-269-8918; or sent by electronic mail to dnr.appeals@alaska.gov. Appeals must be accompanied by the fee established in 11 AAC 05.160(d)(6), which has been set at \$200 under the provisions of 11 AAC 05.160 (a)-(b).

If no appeal is filed by that date, this decision goes into effect as a final order and decision on 10/4/2024.

A copy of 11 AAC 02 is enclosed and is also available on the department's website at <u>https://dnr.alaska.gov/mlw/pdf/DNR-11-AAC-02.pdf</u>.

If you have any questions, please contact Andrew Allaby of the Fairbanks-Delta Area Office at (907)-451-2603 or e-mail <u>andrew.allaby@alaska.gov</u>.

VI. Appendix: Sale maps





